Kalendarium Hortenſe:

OR THE

GARD'NER'S ALMANAC,

DIRECTING

What he is to do *Monethly* throughout the *Year.*

AND

What *Fruits* and *Flowers* are in *Prime.*

The fourth Edition, *with many uſeful* Additions.

By *JOHN EVELYN* Eſq;
Fellow of the *Royal Society.*

Virg. Geo. 2.

——*Labor actus in orbem.*

LONDON,
Printed by *John Martyn,* Printer to the *Royal Society.* MDCLXXI.

~~7033 b 22~~

1607/1770.

Kalendarium Hortenſe:

OR THE

GARD'NER'S ALMANAC,

DIRECTING

What he is to do *Monethly* throughout the *Year.*

AND

What *Fruits* and *Flowers* are in *Prime.*

The fourth Edition, *with many uſeful* Additions.

By *JOHN EVELYN* Eſq;
Fellow of the *Royal Society.*

Virg. Geo. 2.
——*Labor actus in orbem.*

LONDON,
Printed by *John Martyn,* Printer to the *Royal Society.* MDCLXXI.

BRITISH MUSEUM

TO

ABRAHAM COWLEY Esq;

Sir,

THis *Second Edition* of my *Hortulan Kalendar* is yours, mindful of the honour once conferr'd on it, when you were pleas'd to ſuſpend your nobler *Raptures*, and think it worthy your *tranſcribing*. It appears now with ſome *advantages* which it then wanted; becauſe it had not *that* of publiſhing to the *World*, how infinitely I magnifie your *contempt* of (not to ſay *revenge* upon) it; whilſt

you ſtill continue in the *poſſeſſion* of your *Self*, and of that *repoſe* which few men underſtand, in exchange for thoſe *pretty miſeries* you have eſſay'd: O the ſweet *Evenings* and *Mornings*, and all the *Day* beſides which are yours,

——*while* Cowley's *made*
The happy Tenant of the
Shade.

And the *Sun* in his *Garden*, gives him all he deſires, and all that he would enjoy: the purity of viſible Objects, and of true *Nature* before ſhe was vitiated by Impoſture or Luxury! *Books*,

--Books, wiſe Diſcourſe, Gardens, and Fields,
And all the joys that unmixt Nature yields.

Miſc.

You gather the firſt *Roſes* of the *Spring*, and *Apples* of *Autumn*: And as the *Philoſopher* in *Seneca* deſired only *Bread* and *Herbs* to diſpute felicity with *Jupiter*; You vie happineſs in a *thouſand* eaſie, and ſweet Diverſions; not forgetting the innocent *Toils* which You cultivate; the *Leiſure* and the *Liberty*, the *Books*, the *Meditations*, and above all, the learned and choice *Friendſhips* that you enjoy: Who would not, like

Primus vere roſam, atque autumno carpere poma.

You, Cacher ſa vie? 'Twas the wiſe *Impreſs* of *Balzac*, and of *Plutarch* before him, You give it *luſtre* and *interpretation*: I ſwear to You, Sir, it is what in the World I moſt inwardly breathe after, and purſue, not to ſay that I envy Your *felicity*, deliver'd from the guilded *impertinences* of life, to enjoy the moments of a ſolid and pure *Contentment*; ſince thoſe who know how *uſefully* You employ this glorious *Receſs*, muſt needs be forc'd either to *imitate*, or, as I do, to *celebrate* Your *Example*.

J. EVELYN.

6 FEB 60

IN-

INTRODUCTION TO THE KALENDAR.

AS Paradiſe (*though of* Gods *own* Planting) *was no longer* Paradiſe *than the* Man *was put into it, to* dreſs it, and to keep it; *ſo, nor will our* Gardens (*as near as we can contrive them to the reſemblance of that bleſſed abode*) *remain long in their* perfection, *unleſs they are alſo continually* cultivated. *But when we have ſo much celebrated the life and felicity of an excellent* Gard'ner, *as to think it preferable to all other diverſions whatſoever; it is not becauſe of the* leiſure *which he enjoys above other men; eaſe and opportunity which miniſters to vain and inſignificant delights; ſuch as* Fools *derive from* Gen. 2. 15.

ſenſual

ſenſual objects: We dare boldly pronounce it, there is not amongſt Men *a more laborious life than is that of a good* Gard'ners; *but becauſe a labour full of* tranquillity *and* ſatisfaction; Natural *and* Inſtructive, *and ſuch as (if any) contributes to* Piety *and* Contemplation, Experience, Health, *and* Longævity, munera nondum intellecta Deûm: *In ſum, a condition it is, furniſh'd with the moſt innocent, laudable, and pureſt of earthly felicities, and ſuch as does certainly make the neareſt approaches to that* Bleſſed ſtate, *where only they enjoy all things without pains; ſo as thoſe who were led only by the light of* Nature, *becauſe they could phanſie none more glorious, thought it worthy of entertaining the* Souls *of their departed* Heroes, *and moſt illuſtrious of Mortals.*

But to return to the Labour, *becauſe there is nothing* excellent *which*

which is to be attain'd without it: A Gard'ners *work is never at an end; It begins with the* Year, *and continues to the* next: *He prepares the* Ground, *and then he* Sows *it; after that he* Plants, *and then he gathers the* Fruits; *but in all the intermedial ſpaces he is careful to dreſs it; ſo as* Columella, *ſpeaking of this continual aſſiduity, tells us, A* Gard'ner *is not only to reckon upon the loſs of bare* twelve hours, *but of an whole* Year, *unleſs he perform what is at the preſent requiſite in its due period; and therefore is ſuch a* Monethly *notice of his task as depends upon the* Signs *and* Seaſons, *highly neceſſary.*

Prætermiſſas duodecim Horas, *ſed* Annum *periiſſe, niſi ſua quaque quod inſtat effecerit. Quare, neceſſaria eſt* Menſtrui *cujuſq; officii monitio ea, quæ pendet ex ratione* Syderum Cœli, &c. *Col. R. R. l.* ix.

Gard'ners had need each *Star* as well to know,
The *Kid*, the *Dragon*, and *Arcturus* too,
As *Sea-men*, who through diſmal ſtorms are wont
To paſs the Oyſter-breeding *Helle*ſpont.

--tam ſunt Arcturi Sydera nobis
Hædorumq; dies ſervandi, & lucidus Anguis;
Quam quibus in patriam ventoſa per æquora vectis,
Pontus, & Oſtriferi fauces tentantur Abydi. Geor. I.

All which duly weigh'd, how precious *the* time is, *how precipitous the* occaſion, *how many things to be done in their juſt* Seaſon, *and how intolerable a confuſion will ſucceed the ſmalleſt* neglect, *after once a* Ground *is in order, we thought we ſhould not attempt an unacceptable* Work, *if* here *we endeavour'd to preſent our* Gard'ners *with a compleat* Cycle *of what is requiſite to be done throughout every* Moneth *of the* Year: *We ſay, each* Moneth; *becauſe by dividing it into* Parts *ſo diſtinct, the* Order *in which they ſhall find each particular to be diſpos'd, may not only render the* work *more facile and delightful; but redeem it from that extream perplexity, which for want of a conſtant and uniform* Method, *we find does ſo univerſally diſtract the vulgar ſort of Them: They know not (for the moſt part) the* Seaſons *when* things *are to be* * *done; and when at any time they come to know,*

* *Quia caput eſt in omni negotio noſſe quid agendum ſit, &c.* Col. *l.* 1. *c.* 1.

know, there often falls out ſo many things to be done on the ſudden, that ſome of them muſt of neceſſity be neglected for that *whole* Year, *which is the greateſt detriment to this* Myſtery, *and frequently irrecoverable.*

We are yet far from impoſing (by any thing we have here alledged concerning theſe Menſtrual Periods) *thoſe nice and* hypercritical *Puntillos which ſome* Aſtrologers, *and ſuch as purſue their* Rules, *ſeem to oblige our* Gard'ners *to; as if, forſooth, all were loſt, and our pains to no purpoſe, unleſs the* Sowing *and the* Planting, *the* Cutting *and the* Pruning, *were perform'd in ſuch and ſuch an exact* minute *of the* Moon: In hac autem Ruris diſciplina non deſideratur ejuſmodi ſcrupuloſitas. *There are indeed ſome certain* Seaſons, *and* ſuſpecta tempora, *which the prudent* Gard'ner *ought carefully (as much as in him lies) to prevent: But as* Col. de R. R. l. 9. c. 364.

to

to the reſt, let it ſuffice, that he diligently follow the Obſervations *which (by great* Induſtry) *we have* collected *together, and* here *preſent him, as ſo many* Synoptical Tables *calculated for his* Monthly *uſe, to the end he may pretermit nothing which is under his* Inſpection, *and is* neceſſary, *or diſtract his* Thoughts *and* Employment *before the* Seaſons *require it.*

And now, however This *may ſeem but a* Trifle *to ſome who eſteem* Books *by the* bulk, *not the* benefit; *let them forbear yet to* deſpiſe *theſe few enſuing* Pages: *For never was any thing of this* pretence *more fully and ingenuouſly imparted; I ſhall not ſay to the* regret *of all our* Mercenary Gard'ners, *becauſe I have much obligation to ſome above that* Epithete; *M.* Roſe, Gard'ner *to His* Majeſty, *and lately at* Eſſex-houſe *to Her* Grace *the* Ducheſs *of* Somerſet; *and M.* Turner, *formerly of* Wimbleton *in* Surrey;

who

who being certainly amongſt the moſt expert *of their* Profeſſion *in* England, *are no leſs to be* celebrated *for their free* communications *to the* Publick, *by divers* Obſervations *of theirs, which have furniſh'd to this* Deſign. *And it is from the* Reſult *of very much* Experience, *and an extraordinary inclination to cheriſh ſo innocent and laudable a* Diverſion, *and to incite an* Affection *in the* Nobleſs *of this* Nation *towards it, that I* begin *to* open *to them ſo many of the interior* Secrets, *and moſt precious* Rules *of this* Myſterious Art, *without* Impoſture, *or invidious* Reſerve. *The very* Catalogue *of* Fruits *and* Flowers, *for the* Orchard *and the* Parterre, *will gratifie the moſt innocent of the* Senſes, *and whoever elſe ſhall be to ſeek a rare and univerſal* choice *for his* Plantation.

Touching the Method, *it is ſo obvious, that there needs no farther direction;*

direction; and the Conſequent *will prove ſo certain, that a* Work *of the* buſieſt *pains is by this little* Inſtrument *rendred the moſt facile and agreeable, as by which you ſhall continually preſerve your* Garden *in that perfection of* beauty *and* luſtre, *without* confuſion *or* prejudice: *Nor indeed could we think of a more comprehenſive* Expedient, *whereby to aſſiſt the frail and torpent* Memory *through ſo* multifarious *and numerous an* Employment (*the daily* ſubject *of a* Gard'ners *care*) *than by the* Oeconomy *and* Diſcipline *which we have here conſign'd it to, and which our Induſtrious* Gard'ner *may himſelf be continually* Improving *from his own* Obſervations *and* Experience. *In the mean time, we have at the inſtance of very many* Perſons, *who have been pleas'd to acknowledge the* effects *of a former leſs perfect* Impreſſion, *thought good to publiſh this*, third Edition

in

in a ſmaller Volume, *that as an* Enchiridion *it may be the more ready and uſeful; but the* Kalendar *might be conſiderably augmented, and recommend it ſelf to more* Univerſal uſe, *by taking in the* Monethly Employments *of all the parts of* Agriculture, *as they have been begun to us in* Columella, Palladius, de Serres, Auguſtino Gallo, Vincenzo Tanara, Herrera, *our* Tuſſer, Markham, *and others; eſpecially if* well *and* judiciouſly *applied to the* Climate *and ſeveral* Countries: *but it were* here *beſides our* Inſtitution, *nor would the* Pages *contain them; what is yet found* vacant *has been* purpoſely *left, that our* Gard'ner *may ſupply as he finds cauſe; for which reaſon likewiſe we have rang'd both the* Fruits *and* Flowers *in* Prime *after ſomewhat a* promiſcuous *Order, and not after the* Letters *of the* Alphabet, *that the* Method *might be purſu'd with*

Col. de R. R. lib. 11. c. 11. *Pall.* lib. 1. Tit. 1.

the leaſt diſorder. Laſtly,

The Fruits *and* Flowers *in* Prime *are to be as well conſidered in relation to their* laſting *and* continuance, *as to their* maturity *and* beauty.

J. E.

THe *Reader* may pleaſe to take *notice*, that there is newly printed a *Second Edition* of the *French Gard'ner*, and M. *Roſe*'s *Vineyard.* Sold by *John Crook in Duck-lane*, and other *Book-ſellers.*

Kalenda-

Kalendarium Hortense.

♒

JANUARY

Hath xxxi days, long—8h—0m

Sun rises 8h—0m Sets 4h—0m

Note, that for the Rising and Setting of the Sun, & Length of the days, I compute from the first of every Month, London Lat.

To be done

In the *Orchard*, and *Olitory-Garden.*

Trench the Ground, and make it ready for the *spring:* prepare also *Soil*, and use it where you have occasion: Dig *Borders, &c. uncover* as yet *Roots* of *Trees*, where *Ablaqueation* is requisite.

Plant *Quick-sets*, and Transplant *Fruit-Trees*, if not finish'd;

Jan. Olit.
* *See M. Roſes Vineyard Vindicated, c. 5.*

Set * *Vines*, and begin to *prune* the *old*: *Prune* the branches of *Orchard-fruit-trees*; eſpecially the long planted, and that towards the *decreaſe*: but for ſuch as are newly planted, they need not be disbranched till the *Sap* begins to ſtir, that ſo the wound may be healed with the *Scar*, and *Stub*, which our froſts do frequently leave: In this work cut off all the ſhoot of *Auguſt*, unleſs the nakedneſs of the place incline you to ſpare it: *Conſult my* French Gard'ner *part* 1. *ſect.* 3. for this is a moſt material Addreſs: You may now begin to *Naile* and trim your *Wall-fruit*, and *Eſpaliers*.

Cleanſe *Trees* of *Moſs*, *&c.* the *Weather* moiſt.

Gather *Cyons* for *Graffs* before the *buds* ſprout; and about the later end *Graff* them in the *Stock*, *Pears*, *Cherries*, and *Plums*, and remove your *Kernel-ſtocks* to more commodious diſtances in your *Nur-*

Nurſery, cutting off the * *top-root*: Set *Beans*, *Peaſe*, *&c.* *Jan. Obſ.* * Vide *March.*

Sow alſo (if you pleaſe) for early *Cauly-flowers.*

Sow *Chervil*, *Lettuce*, *Radiſh*, and other (more delicate) *Salletings*; if you will raiſe in the *Hot-bed.*

In over-wet, or hard weather, *cleanſe*, *mend*, *ſharpen* and prepare *Garden-tools.*

Turn up your *Bee-hives*, and ſprinkle them with a little warm and ſweet *Wort*; do it dextrouſly.

Fruits in *Prime*, and yet *laſting.*

Apples.

KEntiſh-pepin, *Ruſſet-pepin*, *Golden-pepin*, *French-pepin*, *Kirton-pepin*, *Holland-pepin*, *John-apple*, Winter-*Queening*, *Marigold*, *Harvey-apple*, *Pome-water*, *Pome-*

Jan. Olit. roy, *Golden-Doucet*, *Reineting*, *Lones-Pearmain*, Winter-*Pearmain*, *&c.*

Pears.

Winter-*Muſk* (bakes well) Winter-*Norwich* (excellently baked) Winter-*Bergamot*, Winter-*Bon-creſtien*, both *Mural: the* great *Surrein*, *&c.*

JANUARY

♒

JANUARY

Hath xxxi days, long--8^{h}--0^{m}

Sun riſes 8^{h}--0^{m} Sets 4^{h}--0^{m}

To be done

In the *Parterre*, and *Flower-Garden.*

SEt up your *Traps* for *Vermine*; eſpecially in your *Nurſeries* of *Kernels* and *Stones*, and amongſt your *Bulbous-roots*: About the middle of this *Month*, plant your *Anemony-roots*, and *Ranunculus's*, which you will be ſecure of, without *covering*, or farther trouble: Preſerve from too great, and continuing *Rains* (if they happen) *Snow*, and *Froſt*, your choiceſt *Anemonies*, and *Ranunculus's*

Jan. Part. ſow'd in *September* or *October* for earlier *Flowers*: Alſo your *Carnations*, and ſuch *Seeds* as are in peril of being waſh'd out, or over-*chill'd* and *frozen*; covering them under *ſhelter*, and ſtriking off the *Snow* where it lies too weighty; for it certainly rots, and burſts your early-ſet *Anemonies* and *Ranunculus's*, *&c.* unleſs planted now in the *Hot-bed*; for now is the *Seaſon*, and they will *flower* even in *London*. Towards the *end*, earth-up, with freſh and light mould, the *Roots* of thoſe *Auriculas* which the *froſts* may have uncover'd; filling up the *chinks* about the ſides of the *Pots* where your choiceſt are ſet: but they need not be *hous'd*; it is a hardy Plant.

Flowers

Flowers in *Prime*, or yet *laſting*.

WInter-*Aconite*, ſome *Anemonies*, Winter-*Cyclamen*, Black *Hellebor*, *Brumal-Hyacinth*, *Oriental-Jacinth*, *Levantine-Narciſſus*, *Hepatica*, *Prim-roſes*, *Laurustinus*, *Mezereon*, *Præcoce Tulips*, *&c.* eſpecially, if rais'd in the *Hot-bed*.

Note,

That both theſe *Fruits*, and *Flowers*, are more *early*, or *tardy*, both as to their prime *Seaſons* for *eating*, and perfection of *blowing*, according as the *Soil*, and *Situation* are qualified by *Nature*, or *Accident*.

Note alſo,

That in this *Recenſion* of *Monethly Flowers*, it is to be underſtood for the *whole* period that any *Flower* continues, from its firſt *appearing*, to its final *withering*.

FEBRU-

♓

FEBRUARY

Hath xxviii days, long--09^{h}--24^{m}

Sun riſes 07^{h}--13^{m} Sets 04^{h}--45^{m}

To be done

In the *Orchard*, and *Olitory-Garden.*

PRune *Fruit-trees*, and *Vines*, as yet; for now is your Seaſon to *bind*, *plaſh*, *naile*, and *dreſs*, without danger of *Froſt*: *This* to be underſtood of the moſt tender and delicate *Wall-fruit*, not finiſh'd before; do this before the *buds* and *bearers* grow turgid; and yet in the *Nectarine* and like delicate Mural-Fruit, the later your *Pruning*, the better, whatever has been, and ſtill is, the

he contrary cuſtom. Remove *Graffs* of former years *Graffing*. Cut, and lay *Quick-ſets*; and *trim* up your *Paliſade Hedges*, and *Eſpaliers*. Plant *Vines* as yet, other *Shrubs*, *Hops*, *&c.* *Feb. Olit.*

Set all ſorts of *Kernels* and *ſtony-Seeds*. Alſo ſow *Beans*, *Peaſe*, *Rounſevals*, *Corn-ſallet*, *Marigold*, *Anie-ſeed*, *Radiſh*, *Parſneps*, *Carrots*, *Onions*, *Garlick*, *&c.* and plant *Potatoes* in your worſt ground.

Now is your Seaſon for *Circumpoſition* by *Tubs* or *Baskets* of *Earth*, and for laying of *Branches* to take root. You may plant forth your *Cabbage-plants*.

Rub *Moſs* off your *Trees* after a ſoaking *Rain*, and ſcrape, and cleanſe them of *Cankers*, *&c.* draining away the *wet* (if need require) from the too much moiſtned *Roots*, and earth up thoſe *Roots* of your *Fruit-trees*, if any were uncovered. Cut off the

Webbs

Feb. Olit. *Webbs* of *Caterpillars*, *&c.* (from the Tops of *Twigs* and *Trees*) to burn. Gather *Worms* in the *Evenings* after *Rain*.

Kitchin-Garden herbs may now be planted, as *Parſly*, *Spinage*, and other hardy *Pot-herbs*. Towards the *middle*, or *latter end* of this *Month*, till the *Sap* riſes briskly, *Graff* in the *Cleft*, and ſo continue till the laſt of *March*; they will hold, *Apples*, *Pears*, *Cherries*, *Plums*, *&c.* the *New-Moon*, and the *Old-Wood* is beſt. Now alſo plant out your *Caully-flowers* to have early; and begin to make your *Hot-bed* for the firſt *Melons* and *Cucumbers* to be ſow'd in the Full; but truſt not altogether to them. Sow *Aſparagus*. Laſtly,

Half open your *paſſages* for the *Bees*, or a little before (if *weather* invite;) but continue to feed weak *Stocks*, *&c.*

Fruits

Fruits in *Prime*, or yet *laſting*.

Apples.

Kentiſh, *Kirton*, *Ruſſet*, *Holland Pepins*; *Deux-ans*, Winter *Queening*, *Harvey* ſometimes, *Pome-water*, *Pome-roy*, *Golden-Doucet*, *Reineting*, *Lones Pearmain*, Winter *Pearmain*, &c.

Pears.

Bon-Chreſtien of Winter, Winter *Poppering*, Little *Dagobert*, &c.

FEBRU-

♓

FEBRUARY

Hath xxviii days, long--09h--24m

Sun riſes 07h--13m Sets 04h--45m

To be done

In the *Parterre*, and *Flower-Garden.*

CONtinue *Vermine Traps, &c.* Sow *Alaternus* Seeds in *Caſes*, or *open Beds*; cover them with *thorns*, that the *Poultry* ſcratch them not out. Sow alſo *Lark-Spurs, &c.*

Now and then *air* your hous'd *Carnations*, in *warm* days eſpecially, and mild *ſhowers*; but if like to prove *cold*, ſet them in again at night.

Furniſh (now towards the end) your

your *Aviaries* with *Birds* before they couple, *&c.* Feb. Part.

Flowers in *Prime*, or yet *laſting.*

WInter *Aconite*, ſingle *Anemonies*, and ſome double, *Tulips præcoce*, *Hyacinthus Stellatus*, *Vernal Crocus*, Black *Hellebore*, ingle *Hepatica*, *Perſian Iris*, *Leucoium bulboſum*, *Dens Caninus* hree leav'd, *Vernal Cyclamen* hite and red, *Mezereon*, *Ornithogal: max: alb:* Yellow *Violets* ith large leaves, early *Daffodils*, *&c.*

MARCH

♈

MARCH

Hath xxxi days, long--11h--22m

Sun riſes 06h--19m Sets 05h--41m

To be done

In the *Orchard*, and *Olitory Garden*.

YEt *Stercoration* is ſeaſonable, and you may plant what *Trees* are left, though it be ſomething of the lateſt, unleſs in very backward, or *moiſt* places.

Now is your chiefeſt and beſt time for raiſing on the Hot-bed *Melons*, *Cucumbers*, *Gourds*, *&c.* which about the *ſixth*, *eighth*, or *tenth* day will be ready for the Seeds; and eight days after *prick* them forth at diſtances, according

ing to the *Method*, &c. *March* 0.

If you will have them *later*, begin again in ten or twelve days after the firſt; and ſo a third time, to make *Experiments*. Remember to preſerve the *Hot-bed* as much as poſſible from *Rain*; for cool him you may eaſily if too violent, but not give it a competent heat if it be ſpent, without new-making.

Graff all this *Moneth*, beginning with *Pears*, and ending with *Apples*; unleſs the *Spring* prove extraordinary forwards.

Now alſo plant *Peaches* and *Nectarines*, but cut not off the *top-roots*, as you do of other Trees; for 'twill much prejudice them: Prune laſt years *Graffs*, and cut off the *heads* of your *budded-ſtocks*. Take off the *Littier* from your Kernel-beds; ſee *Octob.* or you may forbear till *April*.

You may as yet cut *Quick-ſets*, and cover ſuch *Tree-roots* as

March 0. you laid bare in *Autumn.*

It were profitable now also to *top* your *Rose-trees* a little with your Knife, near a *leaf-bud*, and to prune off the dead and withered branches, keeping them lower than the custom is, and to a single *Stem.*

Slip, and set *Sage, Rosemary, Lavender, Thyme, &c.*

Sow in the beginning *Endive, Succory, Leeks, Radish, Beets, Chard-Beet, Scorzonera, Parsnips, Skirrets, Parsly, Sorrel, Bugloss, Borrage, Chervil, Sellery, Smalladge, Alisanders, &c.* Several of which continue many years without renewing, and are most of them to be *blanch'd* by laying them under *littier* and earthing up.

Sow also *Lettuce, Onions, Garlick, Orach, Purslan, Turneps,* (to have early), monthly *Pease, &c.* these *annually.*

Transplant the *Beet-chard* which you sow'd in *August*, to have most ample *Chards.* Sow

Sow also *Carrots, Cabbages, Cresses, Fennel, Majoran, Basil, Tobacco, &c.* And *transplant* any sort of *Medicinal Herbs.* *Mar. 31.*

Mid-*March* dress-up, and string your *Strawberry-beds*, and uncover your *Asparagus*, spreading and loosning the Mould about them, for their more easie penetrating: Also may you now transplant *Asparagus* roots to make new *Beds.*

By this time your *Bees* sit; keep them close Night and Morning, if the weather prove ill.

Turn your *Fruit* in the Room where it lies, but open not yet the *windows.*

Fruits in *Prime*, or yet *lasting.*

Apples.

GOlden *Ducket*, [*Doucet*] *Pepins*, *Reineting*, *Lones Pearmain*, Winter *Pearmain*, *John Apple*, &c.

Pears.

Later *Bon-Chrestien*, Double *Blossom Pear*, &c.

MARCH

♈

MARCH

Hath xxxi days, long--11^{h}--22^{m}

Sun riſes 06^{h}--19^{m} Sets 05^{h}--41^{m}

To be done

In the *Parterre*, and *Flower-Garden.*

Take, and *bind* up your weakeſt *Plants* and *Flowers* againſt the Winds, before they come too fiercely, and in a moment *proſtrate* a whole *years* labour.

Plant *Box*, *&c.* in *Parterres.* Sow *Pinks*, *Sweet-williams*, and *Carnations*, from the *middle* to the *end* of this *Moneth.* Sow *Pine-kernels*, *Firr-ſeeds*, *Bays*, *Alaternus*, *Phillyrea*, and moſt *perennial Greens*, *&c.* Or you may ſtay

Mar. Part. till ſomewhat *later* in the *Moneth*. Sow *Auricula-ſeeds* in *pots* or *caſes*, in fine *willow* earth, a little *loamy*; and place what you ſow'd in *September* (which is the more proper Seaſon) now in the *ſhade*, and *water* it.

Plant ſome *Anemony roots* to bear late, and ſucceſſively; eſpecially in and about *London*, where the *Smoak* is any thing tolerable; and if the *Seaſon* be very dry, *water* them well once in *two* or *three* days, as likewiſe *Ranunculus's*. *Fibrous* roots may be *tranſplanted* about the middle of this *Moneth*; ſuch as *Hepatica's*, *Primroſes*, *Auricula's*, *Cammomile*, *Narciſſus Tuberoſe*, *Matricaria*, *Gentianella*, *Hellebore* and other *Summer Flowers*; Set *Leucoium*; Slip the *Keris* or *Wall-flower*; and towards the end, *Lupines*, *Convolvulus's*, *Spaniſh*, or ordinary *Jaſmine*. You may now a little after the *Æquinox*, prune *Pine* and *Fir-trees*: See *Septemb.*

To-

Towards the *middle*, or latter *Mar. Part.* end of *March* ſow on the *Hot-bed* ſuch Plants as are late bearing *Flowers* or *Fruit* in our *Climate*; as *Balſamine*, and *Balſamum mas*, *Pomum Amoris*, *Datura*, *Æthiopic Apples*, ſome choice *Amaranthus*, *Dactyls*, *Geranium's*, *Hedyſarum Clipeatum*, *Humble*, and *Senſitive* Plants; *Lentiſcus*, *Myrtle-berries* (ſteep'd a while), *Capſicum Indicum*, *Canna Indica*, *Flos Africanus*, *Mirabile Peruian*: *Naſturtium Ind.* *Indian Phaſeoli*, *Volubilis*, *Myrrh*, *Carrobs*, *Marcoc*, ſive *Flos Paſſionis*, and the like *rare*, and *exotic* Plants which are brought us from *hot* Countries. Note, that the *Naſturtium Ind.* *African Marygolds*, *Volubilis*, and ſome others, will come (though not altogether ſo forwards) in the *Cold-bed* without *Art*: But the *reſt* require much, and conſtant *heat*, and therefore ſeveral *Hot-beds*, 'till the common earth be very warm

Mar. Part. by the advance of the *Sun*, to bring them to a due ſtature, and perfect their *Seeds*: Therefore your choiceſt *Amaranthus* being riſen pretty high, remove them into another temperate *Hot-bed*; the ſame you may do with your *African*, and *Senſitive* Plants, eſpecially, which always keep under Glaſſes.

About the expiration of this *Moneth* carry into the *ſhade* ſuch *Auriculas*, Seedlings, or *Plants* as are for their *choiceneſs* reſerved in *Pots*.

Tranſplant alſo *Carnation ſeedlings*, giving your *Layers* freſh *earth*, and ſetting them in the *ſhade* for a *Week*; then likewiſe cut off all the *ſick* and infected *leaves*; for now you may ſet your choice ones out of *Covert*, as directed in *February*.

Now do the *farewel-froſts*, and *Eaſterly-winds* prejudice your choiceſt *Tulips*, and ſpot them; therefore

therefore cover ſuch with *Mats* or *Canvas* to prevent *freckles*, and ſometimes deſtruction. The ſame care have of your moſt precious *Anemonies*, *Auricula's*, *Chamæ-iris*, *Brumal Jacynths*, early *Cyclamen*, *&c.* Wrap your ſhorn *Cypreſs* tops with ſtraw *wiſps*, if the *Eaſtern blaſts* prove very tedious; and forget not to cover with dry *ſtraw*, or *Peaſe-hame*, your young expoſed *Ever-greens* as yet Seedlings; ſuch as *Firr*, *Pine*, *Phillyrea*, *Bays*, *Cypreſs*, *&c.* 'till they have paſs'd *two* or *three* years in the *Nurſery*, and are fit to be *tranſplanted*; for the ſharp *Eaſterly* and *Northerly* winds tranſpierce, and dry them up. Let this alſo caution you upon all ſuch extremities of *weather*, during the whole *Winter*; but be mindful to uncover them in all benigne, and tolerable ſeaſons and intermiſſions; it being theſe acute *Winds*, and ſeldom, or never the hardeſt *Froſts*, or *Snows* *Mar. Par.*

which

Mar. Part. which do the mischief. About the *end* uncover even your choicer *Plants*, but with *Caution*; for the tail of the *Frosts* yet continuing, and sharp *winds*, with the sudden darting heat of the *Sun*, scorch and destroy them in a moment; and in such *weather* neither *sow*, nor *transplant*.

Sow *Stock-gilly-flower* seeds in the *Full*, to produce double *flowers*.

Now may you set your *Oranges*, *Lemmons*, *Myrtles*, *Oleanders*, *Lentiscs*, *Dates*, *Aloes*, *Amomums*, and like tender Trees and Plants in the *Portico*, or with the *windows*, and *doors* of the *Greenhouses* and *Conservatories* open for eight or ten days before *April*, or earlier, if the *Season* invite (that is, if the sharp *winds* be past) to acquaint them gradually with the *Air*; I say, gradually, and carefully; for this change is the most *Critical* of the whole year; trust not

not therefore the *Nights* too confi- *Mar. Fan.*
dently, unleſs the *weather* be thorowly ſetled: Now is alſo your Seaſon to raiſe *Stocks* to bud *Oranges* and *Lemmons* on, by ſowing the *Seeds*; and ſome of the hardieſt *Ever-greens* may be tranſplanted, eſpecially, if the weather be *moiſt* and temperate. Laſtly,

Bring in materials for the *Birds* in the *Aviary* to build their *Neſts* withal.

Flowers in *Prime*, and yet *laſting*.

Anemonies, Spring *Cyclamen*, Winter *Aconite*, *Crocus*, *Bellis*, white and black *Hellebor*, ſingle and double *Hepatica*, *Leucoion*, *Chamæ-iris* of all colours, *Dens Caninus*, *Violets*, *Fritillaria*, *Chelidonium* ſmall with double Flowers, *Hermodactyls*, *Tuberous Iris*, *Hyacinth Zeboin*, *Brumal*, *Oriental*,

Mar. Part. tal, &c. *Junquils*, great *Chalic'd*, *Dutch Mezereon*, *Persian Iris*, *Auricula's*, *Narcissus* with large tufts, common, double and single *Primroses*, *Præcoce Tulips*, *Spanish Trumpets* or *Junquilles*; *Violets*, yellow *Dutch Violets*, *Ornithogalum max: alb: Crown Imperial*, *Grape Flowers*, *Almonds* and *Peach-blossoms*, *Rubus odoratus*, *Arbor Judæ*, &c.

APRIL

♉

APRIL

Hath xxx days, long--13h--23m

Sun riſes 05h--18m Sets 05h--42m

To be done

In the *Orchard*, and *Olitory Garden.*

SOw ſweet *Majoran*, *Hyſſop*, *Baſil*, *Thyme*, Winter-*Savory*, *Scurvey-graſs*, and all fine and tender *Seeds* that require the *Hot-bed.*

Sow alſo *Lettuce*, *Purſlan*, *Caully-flower*, *Radiſh*, *&c.*

Plant *Artichock-ſlips*, *&c.*

Set *French-beans*, *&c.* And ſow *Turneps* to have them early.

You may yet ſlip *Lavander*, *Thyme*, *Peneroyal*, *Sage*, *Roſemary*, *&c.*

Towards

April 30. Towards the *middle* of this *Moneth* begin to plant forth your *Melons*, and *Cucumbers*, and ſo to the *later end*; your *Ridges* well prepar'd.

Gather up *Worms*, and *Snails*, after evening *ſhowers*; continue this alſo after all Summer-rains.

Open now your *Bee-hives*, for now they *hatch*; look carefully to them, and prepare your *Hives*, *&c.*

Fruits in *Prime*, or yet *laſting*.

Apples.

Pepins, *Deuxans*, *Weſt-berry-apple*, *Ruſſeting*, *Gilly-flowers*, flat *Reinet*, *&c.*

Pears.

Later *Bon-creſtien*, *Oak-pear*, *&c.* double *Bloſſom*, *&c.*

APRIL

♂

APRIL

Hath xxx days, long--13h--23m

Sun riſes 05h--18m Sets 05h--42m

To be done

In the *Parterre*, and *Flower-Garden.*

SOw divers *Annuals* to have *Flowers* all *Summer*; as double *Marigolds*, *Digitalis*, *Delphinium*, *Cyanus* of all ſorts, *Candy-tufts*, Garden *Panſy*, *Muſcipula*, *Scabious*, *Scorpoides*, *Medica*, *Holy-hocks*; *Columbines*, which renew every five or ſix years, elſe they will degenerate, *&c.*

Continue *new*, and freſh *Hot-beds* to entertain ſuch *exotic* Plants as arrive not to their perfection

Apr. Part. fection without them, till the *Air* and *common earth* be qualified with ſufficient *warmth* to preſerve them abroad: A *Catalogue* of theſe you have in the former *Moneth.*

Tranſplant ſuch *Fibrous roots* as you had not finiſh'd in *March*; as *Violets*, *Hepatica*, *Primroſes*, *Hellebor*, *Matricaria*, *&c.* Place *Auricula* Seedlings in the ſhade.

Sow *Pinks*, *Carnations*, which you may continue to trim up, and cleanſe from dead and rotten leaves, *viz.* your old roots: Sow *Sweet-Williams*, *&c.* to *flower* next year: this, after rain.

Set *Lupines*, *&c.*

Sow *Lucoium* in Full-Moon, ſprinkle it thin, frequently remove them, and replant in moiſt weather the following *Spring.*

Sow alſo yet *Pine-kernels*, *Firſeeds*, *Phillyrea*, *Alaternus*, and moſt *perennial Greens.* Vide *Sept.*

Now take out your *Indian Tuberoſes*,

Tuberoſes, parting the *Off-ſets* (but with care, leſt you break their *fangs*) then *pot* them in * *natural* (not *forc'd*) Earth; a layer of *rich* mould *beneath*, and *about this*, natural *earth* to nouriſh the *fibres*, but not ſo as to touch the *Bulbs*: then plunge your *pots* in a *Hot-bed* temperately *warm*, and give them no *water* till they *ſpring*, and then *ſet* them under a *South-wall*: In dry weather *water* them freely, and expect an incomparable *flower* in *Auguſt*: Thus likewiſe treat the *Narciſſus* of *Japan*, or *Garnſey-Lilly* for a later *flower*; although that nice *Curioſity*, ſet only in a warm corner, expos'd to the *South*, without any removal at all for many years, has ſometimes proſper'd better: the protuberant *fangs* of the *Yuca* are to be treated like the *Tuberoſes*. Make much of this *precious* Direction. *Apr. Part.*

* *Vide* May.

Set out, and expoſe *Flos Cardi-*

Apr. Part. *nalis*: Slip, and ſet *Marums*: Water *Anemonies*, *Ranunculus's*, and Plants in *Pots* and *Caſes* once in two or three days, if *drouth* require it. But carefully protect from violent *ſtorms* of *Rain*, *Hail*, and the too parching *darts* of the *Sun*, your *Pennach'd Tulips*, *Ranunculus's*, *Anemonies*, *Auricula's*, covering them with *Matraſſes* ſupported on *cradles* of *hoops*, which have now in readineſs. Now is the *Seaſon* for you to bring the choice and tender *ſhrubs*, *&c.* out of the *Conſervatory*; ſuch as you durſt not adventure forth in *March*; let it be in a *fair* day; only your *Orange-trees* may remain in the *houſe* till *May*, to prevent all danger. You may now *graff* theſe tender ſhrubs, *&c.* by *Approach*, viz. *Oranges*, *Lemmons*, *Pomegranads*, *Jaſmins*, *&c.*

Now, towards the *end* of *April*, you may *Tranſplant*, and *Remove* your tender *ſhrubs*, *&c.* as *Spaniſh*

Spaniſh Jaſmines, *Myrtles*, *Oleanders*, young *Oranges*, *Cyclamen*, *Pomegranads*, *&c.* But firſt let them begin to *ſprout*; placing them a *fort-night* in the *ſhade*: but about *London* it may be better to defer this work till mid-*Auguſt*: *Vide* alſo *May*, from whence take Directions how to refreſh and trim them: Prune now your *Spaniſh Jaſmine* within an *inch* or two of the *ſtock*: but firſt ſee it begin to *ſhoot*. Mow *Carpet-walks*, and ply *Weeding*, *&c.* *April Part.*

Towards the *end* (if the cold *winds* are paſt) and eſpecially after *ſhowers*, clip *Phillyrea*, *Alaternus*, *Cypreſs*, *Box*, *Myrtils*, *Barba Jovis*, and other *tonſile ſhrubs*, *&c.*

Flowers in *Prime*, or yet *laſting.*

Anemonies, *Ranunculus's*, *Auricula Urſi*, *Chamæ-iris*, *Crown Imperial*, *Caprifolium*, *Cyclamen*, *Bell-flower*, *Dens Caninus*, *Fritillaria*, *Gentianella*, *Hypericum frutex*, double *Hepatic's*, *Jacynth* ſtarry, double *Daiſies*, *Florence-Iris*, tufted *Narciſſus*, white, double and common, *Engliſh* double: *Primroſe*, *Cowſlips*, *Pulſatilla*, *Ladies-ſmock*, *Tulips* medias, *Ranunculus's* of *Tripoly*, white *Violets*, *Musk-Grape-flower*, *Geranium*, *Radix Cava*, *Caltha paluſtris*, *Parietaria Lutea*, *Leucoium*, *Perſian Lillies*, *Pæonies*, double *Jonquils*, *Muſcaria* revers'd, *Cochlearia*, *Perſian*

Perſian Jaſmine, Acanthus, Li- Apr. Part.
lac, Roſemary, Cherries, Wall-pears, Almonds, Abricots, Peaches, White-thorn, Arbor Judæ bloſſoming, *&c.*

II

MAY

Hath xxxi days, long--15^{h}--09^{m}

Sun riſes 4^{h}--25^{m} Sets 7^{h}--35^{m}

To be done

In the *Orchard*, and *Olitory-Garden.*

SOw *Sweet-Majoran*, *Baſil*, *Thyme*, hot and *Aromatic Herbs* and *Plants* which are the moſt tender.

Sow *Purſlan*, to have young *Lettuce*, large-ſided *Cabbage*, painted *Beans*, *&c.*

Look carefully to your *Mellons*; and towards the *end* of this *Month*, forbear to *cover* them any longer on the *Ridges* either with *Straw*, or *Matraſſes*, &c.

Ply

Ply the *Laboratory*, and diſtill *Plants* for *Waters*, *Spirits*, *&c.* *May Obſ.*

Continue *Weeding* before they run to *Seeds*.

Now ſet your *Bees* at full *liberty*, look out often, and expect *Swarms*, *&c.*

Fruits in *Prime*, or yet *laſting*.

Apples.

Pepins, *Deuxans* or *John-apples*, *Weſt-berry-apples*, *Ruſſetting*, *Gilly-flower-apples*, the *Maligar*, &c. *Codling*.

Pears.

Great *Kairville*, Winter-*Bon-Cretienne*, Black-pear of *Worceſter Surrein*, Double *Bloſſom-pear*, *&c.*

Cherries, *&c.*

The *May-Cherry*, *Strawberries*, *&c.*

♊

MAY

Hath xxxi days, long--15ʰ--09ᵐ

Sun riſes 04ʰ--25ᵐ Sets 07ʰ--35ᵐ

To be done

In the *Parterre*, and *Flower-Garden.*

NOw bring your *Oranges*, &c. boldly out of the *Conſervatory*; 'tis your only *Seaſon* to *Tranſplant*, and *Remove* them: let the *Caſes* be fill'd with *natural-earth* (ſuch as is taken the firſt half *ſpit*, from juſt under the *Turf* of the beſt *Paſture* ground, in a place that has been well *fother'd* on) mixing it with one part of rotten *Cow-dung*, or very mellow *Soil* ſcreen'd, and prepar'd ſome time

time before; if this be too *ſtiff*, *May Part.*
ſift a little *Lime* diſcreetly with it, with the rotten ſticks of *Willows:* Then *cutting* the too thick, and extravagant *Roots* a little, eſpecially at bottom, ſet your *Plant*; but not too *deep*; rather let ſome of the *Roots* appear: Laſtly, *ſettle* it with temperately enrich'd *water*, (ſuch as is impregnated with *Neat* and *Sheeps-dung* eſpecially, ſet, and ſtirr'd in the *Sun* ſome few days before; but be careful, not to drench them too much at firſt; but giving it by degrees day after day, without touching with it the *Stem*:) having before put ſome *rubbiſh* of *Limeſtones, pebbles, ſhells, Fagot-ſpray*, or the like at the bottom of the *Caſes*, to make the *moiſture* paſſage, and keep the *earth* looſe for fear of rotting the *fibres:* See *Novemb.* Then ſet them in the *ſhade* for a *fort-night*, and afterwards expoſe them to the *Sun*.

Give

May Part. Give now alſo all your *hous'd plants* (ſuch as you do not think requiſite to take out) freſh *earth* at the *ſurface*, in place of ſome of the old *earth* (a hand-depth or ſo) and looſning the reſt with a *fork* without wounding the *Roots*: let this be of excellent rich * *ſoil*, ſuch as is throughly *conſumed*, and will *ſift*, that it may *waſh in* the *vertue*, and comfort the *Plant*: *Bruſh*, and *cleanſe* them likewiſe from the *duſt* contracted during their Encloſure. *Theſe two laſt directions have till now been kept as conſiderable* Secrets *amongſt our* Gard'ners: *vide Auguſt* and *September*.

* Vide *July*.

Shade your *Carnations*, and *Gilly-flowers* after *mid-day* about this *Seaſon*: Plant alſo your *Stock-gilly-flowers* in beds, full *Moon*.

Continue watering *Ranunculus's*: Tranſplant forth your *Amaranthus's*, where you would have them ſtand: Sow *Antirrhinum*; or you may ſet it.

Gather

Gather what *Anemony-ſeed* you find ripe, and that is worth ſaving, preſerving it very dry. *May Part.*

Cut likewiſe the *ſtalks* of ſuch *Bulbous-flowers* as you find dry.

Towards the *end* take up thoſe *Tulips* which are dri'd in the *ſtalk*; covering what you find to lie *bare* from the *Sun* and *ſhowers*.

Flowers

Flowers in *Prime*, or yet *laſting.*

LAte ſet *Anemonies* and *Ranunculus omn. gen. Anapodophyllon, Blattaria, Chamæ-iris, Auguſtifol. Cyanus, Cytiſus Maranthe, Cyclamen, Heleborine, Columbines, Caltha paluſtris*, double *Cotyledon, Digitalis, Fraxinella, Gladiolus, Geranium, Horminum Creticum*, yellow *Hemerocallis*, ſtrip'd *Jacynth*, early *Bulbous Iris, Aſphodel*, yellow *Lillies, Lychnis, Jacea, Bellis* double, white and red, *Milleſolium luteum, Phalangium, Orchis, Lilium Convallium, Span. Pinkes, Deptford Pinkes, Roſa* common, *Cinnamon, Guelder & Centifol.* &c. *Oleaſter, Chery-bay, Trachelium, Cowſlips, Heſperis, Antirrhinum, Syringa's, Sedums, Tulips* Serotin, &c. *Valerian, Veronica* double and ſingle, *Musk Violets,*

Ladies

Ladies Slipper, Stock-gilly-flowers, *May Part.*
Spaniſh Nut, Star-flower, Chalce-
dons, ordinary *Crow-foot,* red
Martagon, Bee-flowers, Campanu-
la's white and blew, *Perſian Lilly,*
Hony-ſuckles, Bugloſs, Homers Mo-
ly, and the white of *Dioſcorides,*
Pansys, Prunella, purple *Thali-*
ctrum, Siſymbrium double and
ſimple, *Leucoium bulboſum ſeroti-*
num, Peonies, Sambucus, Roſemary,
Stechas, Sea-Narciſſus, Barba Jovis,
Laurus, Satyrion, Oxyacanthus,
Tamariſcus, Apple-bloſſoms, &c.

JUNE

♋

JUNE

Hath xxx days, long—16h—17m

Sun rises 03h—51m Sets 08h—09m

To be done

In the *Orchard*, and *Olitory-Garden*.

SOw *Lettuce*, *Chervil*, *Radish*, *&c.* to have young, and tender *Salleting*.

About the *midst* of *June* you may Inoculate *Peaches*, *Abricots*, *Cherries*, *Plums*, *Apples*, *Pears*, &c.

You may now also (or in *May* before) cleanse *Vines* of exuberant *branches* and *tendrels*, cropping (not cutting) and stopping the second *joint* immediately before the *Fruit*, and some of the under branches

branches which bear no *fruit*; e- *June Obſ.*
ſpecially in young *Vineyards* when they firſt begin to *bear*, and thence forwards; binding up the reſt to *props*.

Gather *Herbs* in the *Full*, to keep *dry*; they keep and retain their *virtue*, and *ſweet ſmell*, better *dry'd* in the *ſhade*, than *Sun*, whatever ſome pretend.

Now is your *Seaſon* to diſtill *Aromatic Plants*, &c.

Water lately planted *Trees*, and put moiſt, and half rotten *Fearn*, *&c.* about the foot of their *Stems*, having firſt clear'd them of weeds, and a little ſtirred the earth.

Look to your *Bees* for *Swarms*, and *Caſts*; and begin to deſtroy *Inſects* with *Hoofs*, *Canes*, and tempting *baits*, *&c.* Gather *Snails* after *Rain*, *&c.*

Fruits

Fruits in *Prime*, or yet *laſting*.

Apples.

Uniting (firſt ripe) *Pepins*, *John-apples*, *Robillard*, Red-*Fennouil*, &c. French.

Pears.

The *Maudlin* (firſt ripe) *Madera*, *Green-Royal*, St. *Laurence-pear*, &c.

Cherries, *&c.*

Duke, *Flanders*, *Heart* { Black. Red. White.

Luke-ward, early *Flanders*, the *Common-Cherry*, *Spaniſh*-Black, *Naples* Cherries, *&c.*

Raſberries, *Corinths*, *Strawberries*, *Melons*, *&c.*

♋

JUNE

Hath xxx days, long—16ʰ—17ᵐ

Sun riſes 03ʰ—51ᵐ Sets 08ʰ—09ᵐ

To be done

In the *Parterre*, and *Flower-Garden.*

TRanſplant *Autumnal Cyclamens* now if you would change their place, otherwiſe let them *ſtand.* Take up *Iris Chalcedon.*

Gather the ripe *Seeds* of *Flowers* worth the ſaving, as of choiceſt *Oriental Jacynth*, *Narciſſus* (the two leſſer, pale ſpurious *Daffodils* of a whitiſh green, often produce varieties) *Auricula's*, *Ranunculus's*, &c. and preſerve

June Part. them dry: Shade your *Carnations* from the afternoon *Sun.*

You may now begin to lay your *Gilly-flowers.*

Take up your rareſt *Anemonies*, and *Ranunculus's* after rain (if it come ſeaſonable) the *ſtalk* wither'd, and dry the *roots* well: This, about the *end* of the *Moneth*; In mid *June* inoculate *Jaſmine*, *Roſes*, and ſome other rare *ſhrubs.* Sow now alſo ſome *Anemony-ſeeds.* Take up your *Tulip-bulbs*, burying ſuch immediately as you find naked upon your *beds*; or elſe *plant* them in ſome *cooler* place; and *refreſh* over-parch'd *beds* with water. Water your *Pots* of *Narciſſus* of *Japan* (that rare Flower) &c. Stop ſome of your *Scabious* from running to *ſeed* the firſt year, by now removing them, and next year they will produce excellent *flowers.* Alſo may you now take up all ſuch *Plants* and *Flower-roots* as endure not well

out

out of the ground, and *replant* June Part.
them again immediately; ſuch as the early *Cyclamen*, *Jacynth-Orientall*, and other *bulbous Jacynths*, *Iris*, *Fritillaria*, *Crown-Imperial*, *Martagon*, *Muſcaris*, *Dens Caninus*, *&c.* The *ſlips* of *Myrtil* ſet in ſome *cool* and *moiſt* place do now frequently take *root*: Alſo *Cytiſus lunatus* will be multiplied by *ſlips* in a moiſt place, ſuch as are an *handful long* of that *Spring*, but neither by *Seeds* or *Layers*. Look now to your *Aviary*; for now the *Birds* grow *ſick* of their *Feathers*; therefore aſſiſt them with *Emulſions* of the *cooler ſeeds bruis'd* in their *water*, as *Melons*, *Cucumbers*, *&c.* Alſo give them *Succory*, *Beets*, *Groundſell*, *Chickweed*, freſh-*Gravel*, and *Earth*, *&c.*

Flowers in *Prime*, or yet *laſting*.

Amaranthus, *Antirrhinum*, *Aſphodel*, *Campanula*, *Convolvulus*, *Cyclamen*, *Clematis*, *Fannonica*, *Cyanus*, *Blattaria*, *Digitalis*, *Gladiolus*, *Hedyſarum*, *Geranium*, *Horminum Creticum*, *Hieracium*, *Heſperis*, *bulbous Iris*, and divers others, *Lychnis var. generum*, *Martagon* white and red, *Milleſolium* white and yellow, *Naſturtium Indicum*, *Nigella*, *Aſter Atticus*, *Hellebor Alb.* *Gentiana*, *Trachelium*, *Ficus Indica*, *Fraxinella*, ſhrub *Night-ſhade*, *Jaſmines*, *Honey-ſuckles*, *Geniſta Hiſp.* *Carnations*, *Pinks*, *Armerius*, *Ornithogalum*, *Panſy*, *Phalangium Virginianum*, *Larks-heel* early, *Philoſella*, *Roſes*, *Thlaſpi Creticum*, &c. *Veronica*, *Viola pentaphyl.* *Campions* or *Sultans*, *Mountain Lillies* white, red:

red: double *Poppies*, *Palma-Chriſti*, *Stock-gillyflowers*, *Corn-flag*, *Holly-hoc*, *Muſcaria*, *Serpillum Citratum*, *Phalangium Allobrogicum*, *Oranges*, *Roſemary*, *Lentiſcus*, *Pomegranade*, the *Lime-tree*, *&c.* *June Part.*

♌

JULY

Hath xxxi days, long--15^{h}--59^{m}

Sun riſes 04^{h}--00^{m} Sets 08^{h}--00^{m}

To be done

In the *Orchard*, and *Olitory-Garden.*

SOw *Lettuce*, *Radiſh*, *&c.* to have tender *ſalletting.*

Sow *later Peaſe* to be ripe ſix weeks after *Michaelmas.*

Water young planted *Trees*, and *Layers*, *&c.* and reprune now *Abricots*, and *Peaches*, ſaving as many of the *young* likelieſt *ſhoots* as are well placed; for the now *Bearers* commonly periſh, the *new ones* ſucceeding: Cut *cloſe* and *even*, purging your *Wall-fruit* of ſuper-

ſuperfluous leaves which hinder from the *Sun*; but do it diſcreetly. *July Olit.*

You may now alſo begin to *Inoculate.*

Let ſuch *Olitory-herbs* run to *ſeed* as you would ſave.

Towards the *later end*, viſit your *Vineyards* again, *&c.* and *ſtop* the exuberant *ſhoots* at the *ſecond joynt* above the *fruit* (if not finiſh'd before); but not *ſo* as to expoſe it to the *Sun*, without ſome umbrage.

Remove long-ſided *Cabages* planted in *May*, to head in *Autumne*; 'tis the beſt *Cabage* in the World.

Now begin to ſtreighten the *entrance* of your *Bees* a little; and help them to *kill* their *Drones* if you obſerve too many; ſetting the new-invented *Cucurbit-Glaſſes* of *Beer* mingled with *Honey*, to entice the *Waſps*, *Flies*, &c. which waſte your *ſtore*: Alſo

July Olit. hang *Bottles* of the ſame *Mixture* neer your *Red-Roman-Nectarines* and other tempting *fruits*, for their deſtruction; elſe they many times invade your beſt *Fruit.*

Look now alſo diligently under the *leaves* of *Mural Trees* for the *Snails*; they ſtick commonly ſomewhat *above* the *fruit*: pull not *off* what is *bitten*; for then they will certainly begin *afreſh.*

Fruits in *Prime*, or yet *laſting.*

Apples.

Deux-ans, *Pepins*, Winter *Ruſſeting*, *Andrew-apples*, *Cinnamon-apple*, red and white *Juneting*, the *Margaret-apple*, &c.

Pears.

The *Primat*, *Ruſſet-pears*, *Summer-pears*, green *Cheſil-pears*, *Pearl-pear*, &c.

Cherries.

Cherries.

Carnations, Morella, Great-bearer, Morocco-Cherry, the *Egriot, Bigarreaux, &c.*

Peaches.

Nutmeg, Iſabella, Perſian, Newington, Violet-muſcat, Rambouillet.

Plums, *&c.*

Primordial, Myrobalan, the red, blew, and amber *Violet, Damaſc. Denny Damaſc. Pear-plum, Damaſc. Violet,* or *Cheſon-plum, Abricot-plum, Cinnamon-plum,* the *Kings-plum, Spaniſh, Morocco-plum, Lady Eliz. plum, Tawny, Damaſcene, &c.*

Rasberries, Gooſe-berries, Corinths, Strawberries, Melons, &c.

JULY

♌

JULY

Hath xxxi days, long--15^{h}--59^{m}

Sun riſes 04^{h}--00^{m} Sets 08^{h}--00^{m}

To be done

In the *Parterre*, and *Flower-Garden.*

SLip *ſtocks*, and other *lignous Plants* and *Flowers*: From henceforth to *Michaelmas* you may alſo lay *Gillyflowers*, and *Carnations* for *Increaſe*, leaving not above *two*, or three *ſpindles* for *flowers*, and nipping off ſuperfluous *buds*, with *ſupports*, *cradles*, *canes*, or *hooſes*, to eſtabliſh them againſt *winds*, and deſtroy *Earwigs*.

The *Layers* will (in a *moneth* or *ſix weeks*) ſtrike *root*, being *planted* in

in a *light loamy earth*, mix'd with excellent *rotten ſoil* and *ſifted*: plant ſix, or eight in a *pot* to ſave *room* in *Winter*: keep them well from too much *Rains*; yet water them in drouth, ſparing the leaves: If it prove too wet, lay your pots ſide-long; but *ſhade* thoſe which *blow* from the afternoon *Sun*, as in the former *Moneth*. *July Part.*

Yet alſo you may lay *Myrtils*, *Laurels*, and other curious *Greens*.

Water young planted *Shrubs* and *Layers*, *&c.* as *Orange-Trees*, *Myrtles*, *Granads*, *Amomum* eſpecially, which *ſhrub* you can hardly *refreſh* too often, and he requires abundant *compoſt*; as do likewiſe both the *Myrtle*, and *Granad*-Trees; therefore whenever you trim their *Roots*, or change their *Earth*, apply the richeſt *ſoil* (ſo it be ſweet, and well conſum'd) you can to them, *&c.* Clip *Box*, *&c.* in *Parterres*, *Knots*, and

Com-

Compartiments, if need be, and that it grow out of *order*; do it after *Rain*.

Graff by *Approach*, *Inarch*, or *Inoculate Jaſmines*, *Oranges*, and other your choiceſt *Shrubs*.

Take up your early *autumnal Cyclamen*, *Tulips*, and *Bulbs* (if you will *Remove* them, *&c.*) before mention'd; *Tranſplanting* them *immediately*, or a *Moneth* after if you pleaſe, and then cutting off, and trimming the *fibres*, ſpread them to *air* in ſome *dry* place.

Gather *Tulip-ſeed*, if you pleaſe: but let it lie in the *pods*.

Gather now alſo your early *Cyclamen-ſeed*, and *ſow* it preſently in *Pots*.

Remove ſeedling *Crocus's* ſow'd in *September* conſtantly at this *Seaſon*, placing them at wider intervals, till they begin to bear.

Likewiſe you may *take up* ſome *Anemonies*, *Ranunculus's*, *Crocus*, *Crown Imperial*, *Perſian Iris*, *Fritillaria*,

laria, and *Colchicums*; but plant the three laſt as ſoon as you have taken them up, as you did the *Cyclamens*; or you may ſtay till *Auguſt* or *September* ere you take them up, and replant *Colchicums*. July Part.

Remove now *Dens Caninus*, *&c.*

Take up your *Gladiolus* now yearly, the blades being dry, or elſe their *Off-ſets* will poiſon the ground.

Latter end of *July*, *ſift* your *Beds* for *Off-ſets* of *Tulips*, and all *Bulbous Roots*; alſo for *Anemonies*, *Ranunculus*'s, *&c.* which will prepare it for *re-planting* with ſuch things as you have ready in *Pots* to plunge, or ſet in the *naked* earth till the next *ſeaſon*; as *Amaranths*, *Canna Ind. Mirabile Peruv. Capſicum Ind. Naſturtium Ind. &c.* that they may not lie empty, and diſfurniſh'd.

You may ſow ſome *Anemonies*, keeping them temperately moiſt.

Conti-

July Part. Continue to *cut off* the withered *ſtalks* of your lower *flowers*, *&c.* and all others, covering with *earth* the *bared* roots, *&c.*

Now (in the *drieſt Seaſon*) with *Brine*, *Pot-aſhes* and *Water*, or a *decoction of Tobacco refuſe*, water your *Gravel-walks*, *&c.* to deſtroy both *Worms*, and *Weeds*, of which it will *cure* them for ſome *years*.

Flowers in *Prime*, or yet *laſting*.

Amaranthus, *Aſphodel*, *Antirrhinum*, *Campanula*, *Clematis*, *Cyanus*, *Convolvulus*, *Sultana*, *Veronica* purple and odoriferous; *Digitalis*, *Eryngium Planum*, *Ind. Phaſeolus*, *Geranium triſte*, and *Creticum*, *Gladiolus*, *Gentiana*, *Heſperis*, *Nigella*, *Hedyſarum*, *Fraxinella*, *Lychnis Chalcædon*, *Jacea*, white and double, *Naſturt. Ind. Milleſolium*, *Musk-roſe*, *Flos Africanus*,

*canus, Thlaſpi Creticum, Veronica mag. & parva, Volubilis, Balſam-apple, Holy-hoc, Corn-flower, Alkekengi, Lupines, Scorpion-graſs, Caryophyllata omn. gen. Stock-gilly-flower, Scabioſa, Mirab. Peru: Spartum Hiſpan: Monethly-*roſe, *Jaſmine, Indian Tuberous Jacynth, Limonium, Linaria Cretica, Panſies, Prunella, Delphinium, Phalangium, Periploca Virgin. Flos Paſſionis, Flos Cardinalis, Tucca, Oranges, Amomum Plinii, Oleanders* red and white, *Agnus Caſtus, Arbutus, Ollive, Liguſtrum, Tilia,* &c. *July Part.*

AUGUST

♌

AUGUST

Hath xxxi days, long--14^{h}--33^{m}

Sun rises 4^{h}--43^{m} Sets 7^{h}--17^{m}

To be done

In the *Orchard*, and *Olitory-Garden.*

INoculate now *early*, if before you began not, and gather your *bud* of that year: Let this work be done before you remove the *stocks*.

Prune off yet also superfluous *branches*, and *shoots* of this *second spring*; but be careful not to expose the *fruit*, without leaves sufficient to *skreen* it from the *Sun*; *furnishing*, and *nailing* up what you will spare to cover the defects

fects of your *Walls*. Continue yet to cleanſe your *Vines* from exuberant *branches* that too much hinder the *Sun*. *Aug. Olit.*

Pull up the *Suckers*.

Clip *Roſes* now done bearing.

Sow *Raddiſh*, eſpecially the *Black*, to prevent running up to *ſeed*, *pale tender-Cabbages*, *Caully-flowers* for *Winter Plants*, *Corn-ſallet*, *Marygolds*, *Lettuce*, *Carrots*, *Parſneps*, *Turneps*, *Spinage*, *Onions*; alſo curl'd *Endive*, *Angelica*, *Scurvy-graſs*, &c.

Likewiſe now pull up ripe *Onions* and *Garlic*, &c.

Towards the *end* ſow *Purſlan*, *Chard-beet*, *Chervile*, &c.

Tranſplant ſuch *Lettuce* as you will have abide all *Winter*.

Gather your *Olitory-ſeeds*, and *clip*, and cut all ſuch *Herbs* and *Plants* within one *handful* of the *ground* before the *full*. Laſtly,

Unbind, and releaſe the *Buds* you *inoculated* if taken, *&c.* likewiſe

Aug. Olit. wiſe ſtop, and prune them.

Now *vindemiate*, and take your *Bees* towards the expiration of this *Moneth*; unleſs you ſee cauſe (by reaſon of the *Weather* and *Seaſon*) to defer it till mid-*September*: But if your *Stocks* be very *light* and weak, begin the earlier.

Make your Summer *Perry*, and *Cider*.

Fruits in *Prime*, and yet *laſting*.

Apples.

THE *Ladies Longing*, the *Kirkham* Apple, *John* Apple; the *Seaming* Apple, *Cuſhion* Apple, *Spicing*, *May-flower*, *Sheeps ſnout*.

Pears.

Windſor, *Sovereign*, *Orange*, *Bergamot*, *Slipper* Pear, *Red Catherine*,

rine, *King Catherine*, *Denny* Pear, *Prusia* Pear, Summer *Poppering*, *Sugar* Pear, *Lording* Pear, *&c.* Aug. Oct.

Peaches.

Roman Peach, *Man* Peach, *Quince* Peach, *Rambouillet*, *Musk*-Peach, *Grand Carnation*, *Portugal* Peach, *Crown* Peach, *Bourdeaux* Peach, *Lavar* Peach, the Peach *Des pot*, *Savoy Malacoton*, which laſts till *Michaelmas*.

Nectarines.

The *Muroy* Nectarine, *Tawny*, Red-*Roman*, little *Green* Nectarine, *Cluſter* Nectarine, *Yellow* Nectarine.

Plums.

Imperial, Blew, White *Dates*, Yellow *Pear-plum*, Black *Pear-plum*, White *Nutmeg*, late *Pear-plum*, Great *Anthony*, *Turkey* Plum, the *Jane* Plum.

Other Fruit.

Cluſter-grape, Muſcadine, Corinths, Cornelians, Mulberries, Figs, Filberts, Melons, &c.

AUGUST

♌

AUGUST

Hath xxxi days, long--14^{h}--33^{m}.

Sun riſes 04^{h}--43^{m}. Sets 07^{h}--17^{m}.

To be done

In the *Parterre*, and *Flower-Garden.*

NOw (and not till *now*, if you expect *ſucceſs*) is the juſt *ſeaſon* for the *budding* of the *Orange* Tree: *Inoculate* therefore at the commencement of this *Moneth.*

Now likewiſe take up your *bulbous Iris's*; or you may ſow their *ſeeds*, as alſo thoſe of *Larks-heel*, *Candy-tufts*, *Columbines*, *Iron-colour'd Fox-gloves*, *Holly-hocks*, and ſuch Plants as endure *Win-*

Aug. Part. ter, and the approaching *Seasons.*

Plant some *Anemony* roots to have *Flowers* all *Winter*, if the *roots* escape; and take up your *seedlings* of last year, which now transplant for bearing: also plant *Dens Caninus*, *Autumnal Crocus*, and *Colchicums*: Note, that *English Saffron* may be suffered to stand for increase to the *third* or *fourth* year without removing.

You may now sow *Narcissus*, and *Oriental Jacynths*, and re-plant such as will not do well out of the *Earth*, as *Fritillaria*, *Hyacinths*, *Martagon*, *Dens Caninus*, *Lillies.*

Gilly-flowers may yet be *slipp'd.*

Continue your taking up of *Bulbs*, dry them, and lay them up; *Lillies*, *&c.* of which before.

Gather from day to day your *Alaternus* seed as it grows black and ripe, and spread it to *sweat*, and *dry* before you put it up; therefore *move* it sometimes with a *Broom*, that the *seeds* clog not together,

gether, unleſs you will ſeparate it from the *Mucilage*, for then you muſt a little bruiſe it wet; waſh and dry them in a cloth. *Aug. Part.*

Water well your *Balſamine fœm.*

Moſt other *Seeds* may now likewiſe be gathered from *ſhrubs*, which you find ripe.

About mid-*Auguſt*, tranſplant *Auricula's*, dividing old, and luſty *roots*; alſo prick out your *Seedlings*: They beſt like a *loamy ſand*, or light moiſt *Earth*; yet rich, and ſhaded: You may likewiſe ſow *Auricula.*

Now, towards the latter end, you may ſow *Anemony* ſeeds, *Ranunculus's*, *&c.* lightly cover'd with fit mould in *Caſes*, ſhaded and frequently *refreſh'd*: Alſo *Cyclamen*, *Jacynths*, *Iris*, *Hepatica*, *Primroſes*, *Fritillaria*, *Martagon*, *Fraxinella*, *Tulips*, *&c.* but with *patience*, for ſome of them; becauſe they *flower* not till *three*,

Aug. Part. *four*, *five*, *six*, and *seven* years after, especially the *Tulips*; therefore disturb not their *beds*, and let them be under some *warm* place, *shaded* yet, till the *heats* are past, lest the *seeds* dry; only the *Hepatica's*, and *Primroses* may be sow'd in some less expos'd *Beds*.

Now, about *Bartholomew-tide*, is the only *secure season* for *removing*, and *laying* your *perennial Greens*; *Oranges*, *Lemmons*, *Myrtils*, *Phillyreas*, *Oleanders*, *Jasmines*, *Arbutus*, and other rare *Shrubs*, as *Pome-granads*, *Monethly-roses*, and whatever is most obnoxious to *frosts*; taking the *shoots*, and *branches* of the past *Spring*, and *pegging* them down in very *rich earth* and *soil* perfectly consum'd, *watering* them upon all occasions during the *Summer*; and by this time *twelvemoneth* they will be ready to *remove*, *Transplanted* in fit earth, set in the *shade*, and kept moderately *moist*, not *over* wet,

wet, leſt the young *fibres* rot; after *three* weeks ſet them in ſome more airy place, but not in the *Sun*, till fifteen days more; *Vide* our *Obſervations* in *April*, and *May*, for the reſt of theſe choice *Directions*. *Aug. Part.*

Flowers in *Prime*, or yet *laſting*.

Amaranthus, *Anagallis*, *Luſitanica*, *Aſter Atticus*, *Blattaria*, *Spaniſh Bells*, *Belvedere*, *Carnations*, *Campanula*, *Clematis*, *Cyclamen Vernum*, *Datura Turcica*, *Eliochryſon*, *Eryngium planum & Amethyſtinum*, *Geranium Creticum*, and *Triſte*, Yellow *Stocks*, *Hieracion minus Alpeſtre*, *Tuberoſe Hyacinth*, *Limonium*, *Linaria Cretica*, *Lychnis*, *Mirabile Peruvian.* Yellow *Milleſol. Naſturt. Ind.* Yellow mountain *Hearts-eaſe*, *Maracoc*, *Africanus flos*, *Convolvulus's*, *Scabious*,

Aug. Part. bious, *Asphodils*, *Delphinium*, *Lupines*, *Colchicum*, *Leucoion*, *Autumnal Hyacinth*, *Holly-hoc*, *Star-wort*, *Heliotrop*, *French Mary-gold*, *Daisies*, *Geranium nocte olens*, Common *Pansies*, *Larks-heels* of all colours, *Nigella*, *Helleborus*, *Balsamin: fœm: Lobells Catch-fly*, *Thlaspi Creticum*, *Rosemary*, *Musk-Rose*, *Monethly Rose*, *Oleanders*, *Spanish Jasmine*, Yellow *Indian Jasmine*, *Myrtils*, *Oranges*, *Pome-granads* double, and single flowers, Shrub *Spiræa*, *Agnus Castus*, the *Virginian Martagon*, *Malva arborescens*, &c.

SEP-

♎

SEPTEMBER

Hath xxx days, long--12ʰ--37ᵐ.

Sun riſes 05ʰ--41ᵐ Sets 06ʰ--19ᵐ

To be done

In the *Orchard*, and *Olitory-Garden.*

GAther now (if ripe) your *Winter Fruits*, as *Apples*, *Pears*, *Plums*, *&c.* to prevent their *falling* by the great *Winds*: Alſo gather your *Wind-falls* from day to day: do this work in *dry* weather.

Releaſe Inoculated *Buds*, or ſooner, if they pinch.

Sow *Lettuce*, *Radiſh*, *Spinage*, *Parſneps*, *Skirrets*, &c. *Caully-flowers*, *Cabbages*, *Onions*, &c.

Scurvy-

Sept. Olit. *Scurvy-grass*, *Anni-seeds*, &c.

Now may you *Transplant* most sorts of *Esculent*, or *Physical* Plants, &c.

Also *Artichocks*, and *Asparagus-roots*.

Sow also *Winter-Herbs* and *Roots*, and plant *Straw-berries* out of the *Woods*.

Towards the *end*, earth up your *Winter Plants*, and *Sallad herbs*; and plant forth your *Caully-flowers* and *Cabbages* which were sown in *August*.

No longer now defer the *taking* of your *Bees*, streightning the *entrances* of such *Hives* as you leave to a small *passage*, and continue still your *hostility* against *Wasps*, and other robbing *Insects*.

Cider-making continues.

Fruits

Fruits in *Prime*, or yet *laſting.*

Apples.

THe *Belle-bonne*, the *William*, Summer *Pearmain*, *Lording-apple*, *Pear-apple*, *Quince-apple*, *Red-greening ribb'd*, *Bloody-Pepin Harvey*, *Violet-apple*, &c.

Pears.

Hamdens Bergamot (firſt ripe) Summer *Bon Chreſtien*, *Norwich*, *Black Worceſter*, (baking) *Greenfield*, *Orange*, *Bergamot*, the *Queen* hedg-pear, *Lewes-pear* (to dry excellent) *Frith-pear*, *Arundel-pear* (alſo to bake) *Brunſwick-pear*, Winter *Poppering*, *Bings-pear*, *Biſhops-pear*, (baking) *Diego*, *Emperours-pear*, *Cluſter-pear*, *Meſſire Jean*, *Rowling-pear*, *Balſam-pear*, *Bezy d' Hery*, &c.

Peaches,

Peaches, &c.

Malacoton, and ſome others, if the year prove backwards, *Almonds*, *&c.*

Quinces.

Little *Blew-grape*, *Muſcadine-grape*, *Frontiniac*, *Parſley*, great *Blew-grape*, the *Verjuice-grape* excellent for ſauce, *&c.*

Berberries, &c.

SEPTEMBER

Hath xxx days, long--12h--37m

Sun riſes 05h--41m Sets 06h--19m

To be done

In the *Parterre*, and *Flower-Garden.*

PLant ſome of all the ſorts of *Anemonies* in good, rich natural earth, eſpecially the *Latifol.* after the firſt *Rains*, if you will have *flowers* very forwards; but 'tis ſurer to attend till *October*, or the *Moneth* after, leſt the over moiſture of the *Autumnal* ſeaſons, give you cauſe to repent.

Now is the moſt proper ſeaſon to ſow *Auricula-ſeeds*, ſetting the Caſes in the *Sun* till *April*: See *April*. Be-

Sept. Part. Begin now also to *plant* some *Tulips*, unless you will stay till the later end of *October*, to prevent all hazard of *rotting* the *Bulbs*. Plant *Daffodils*, and *Colchicum*.

All *Fibrous* Plants, such as *Hepatica*, *Hellebor*, *Cammomile*, *&c.* Also the *Capillaries*; *Matricaria*, *Violets*, *Primroses*, *&c.* may now be *transplanted*; as likewise *Iris*-*Chalcedon*, *Cyclamen*, &c.

Now you may also continue to sow *Alaternus*, *Phillyrea*, (or you may forbear till the *Spring*) *Iris*, *Crown Imperial*, *Martagon*, *Tulips*, *Delphinium*, *Nigella*, *Candy-tufts*, *Poppy*; and generally all the *Annuals* which are not impair'd by the *Frosts*.

Sow *Prim-roses* likewise: Remove seedling *Digitalis*, and plant the slips of *Lychnis* at the beginning.

Your *Tuberoses* will not endure the wet of this *Season*, therefore set the *Pots* into your *Conserve*, and

and keep them very *dry*; It is best to take them out of the *Pots*, about the beginning of this *Moneth*, and either to preserve them in dry *sand*, or wrap them up in *Papers*, and so put them in a box near the Chimny. *Sept. Part.*

Bind now up your *Autumnal Flowers*, and *Plants* to *stakes*, to prevent sudden *Gusts* which will else prostrate all you have so industriously rais'd.

Now you may take off *Gilly-flower-layers* with earth and all, and plant them in *pots*, or borders shaded.

Crocus will be now rais'd of *Seeds*.

Prune *Pines*, and *Firrs* a little after this *Æquinox*, if you omitted it in *March*. Vide *March*.

About *Michaelmas* (sooner, or later, as the *Season* directs) the weather *fair*, and by no means *foggy*, retire your choice *Greens*, and rarest *Plants* (being *dry*) as

Sept. Part. *Oranges*, *Lemmons*, *Indian*, and *Span. Jasmine*, *Oleanders*, *Barba-Jovis*, *Amomum Plin.* *Cytysus Lunatus*, *Chamelæa tricoccos*, *Cistus Ledon Clusii*, *Dates*, *Aloes*, *Sedum's*, *&c.* into your *Conservatory*; ordering them with fresh *mould*, as you were taught in *May* and *July*, *viz.* taking away some of the upmost *exhausted* earth, and *stirring* up the rest, fill the Cases with rich, and well consumed *soil*, to wash in, and nourish the Roots during *Winter*; but as yet leaving the *doors* and *windows* open, and giving them much *Air*, so the *Winds* be not sharp and high, nor weather *foggy*; do thus till the *cold* being more intense, advertise you to *enclose* them altogether: *Myrtils* will endure abroad near a *Moneth* longer.

The *cold* now advancing, set such *Plants* as will not endure the *House*, into the *earth*; the *Pots* two or three *inches* lower than the *surface*

ſurface of ſome *bed* under a *Southern* expoſure: Then *cover* them with *glaſſes*, having *cloath'd* them firſt with ſweet, and dry *Moſs*; but upon all *warm*, and benigne *emiſſions* of the *Sun*, and ſweet *ſhowers*, giving them *air*, by taking off all that covers them: Thus you ſhall preſerve your *coſtly*, and precious *Marum-Syriacum*, *Ciſtus's*, *Geranium nocte olens*, *Flos Cardinalis*, *Marcocs*, ſeedling *Arbutus's* (a very hardy Plant when greater) choiceſt *Ranunculus's* and *Anemonies*, *Acacia Ægypt. &c.* Thus governing them till *April.* Secrets not till now divulg'd. *Sept. Part.*

Note, That *Cats* will eat, and deſtroy your *Marum Syriacum* if they can come at it, therefore guard it with a *Furs*, or *holy-branch.*

Flowers in *Prime*, or yet *lasting*.

Amaranthus tricolor, and others; *Anagallis* of *Portugal*, *Antirrhinum*, *African flo. Amomum Plinii*, *Aster Atticus*, *Belvedere*, *Bellis*, *Campanula's*, *Colchicum*, *Autumnal Cyclamen*, *Clematis*, *Chrysanthemum angustifol. Eupatorium* of *Canada*, *Sun-flower*, *Stock-gil flo. Geranium Creticum*, and *noct olens*, *Gentianella annual*, *Hiera cion minus Alpestre*, *Tuberous Indi an Jacynth*, *Linaria Cretica*, *Lych nis Constant.* single and double *Limonium*, *Indian Lilly*, *Narciss Pomum Aureum*, and *Amoris*, *C Spinosum Ind.* Marvel of *Peru Mille-folium* yellow, *Moly Mon pelienſ. Nasturtium Indicum*, *Per sian autumnal Narcissus*, *Virginia Phalangium*, *Indian Phaseolus* scarlet *Beans*, *Convolvulus diver*

ger

gen. Candy-tufts, Veronica, purple *Volubilis, Asphodil, Crocus,* or English *Saffron, Garnsey Lilly,* or *Narcissus* of *Japan, Poppy* of all colours, single, and double, *Malva arboreſcens, Indian Pinks, Æthiopic Apples, Capſicum Ind. Gilly-flowers, Paſſion-flower, Dature* double and ſing. *Portugal Ranunculus's, Spaniſh Jaſmine,* yellow *Virginian Jaſmine, Rhododendron* white and red, *Oranges, Myrtils, Balauſtia, Musk Roſe,* and *Monthly Roſe,* &c. *Sept. Part.*

---

m

OCTOBER

Hath xxxi days, long--10h--47m

Sun rises 06h--26m Sets 05h--24m

To be done

In the *Orchard*, and *Olitory-Garden.*

Trench Grounds for *Orcharding*, and the *Kitchen-garden*, to lie for a *Winter* mellowing.

Plant dry *Trees* (*i.*) *Fruit* of all sorts, *Standard*, *Mural*, or *Shrubs* which lose their *leaf*; and that so soon as it *falls*: But be sure you chuse no *Trees* for the *Wall* of above *two* years *Graffing* at the most, *sound* and *smooth*.

Now is the time for *Ablaqueation*, and laying *bare* the *Roots* of old

old *unthriving*, or over *haſty-blooming* trees. *Octob. Olit.*

Moon now *decreaſing*, gather *Winter-fruit* that remains, weather dry; take heed of *bruiſing*; lay them up *clean* leſt they *taint*; *Cut* and prune *Roſes* yearly, reducing them to a *Standard* not over tall.

Plant, and Plaſh *Quick-ſets*.

Remove *Graffs* after the ſecond year, unleſs *Dwarfs*, which you may let ſtand 'till the third.

Save, and ſow all *ſtony*, and hard *kernels* and *ſeeds*; ſuch as black *Cherry*, *Morellos*, black *Heart*, all good; *Pear-plum*, *Peach*, *Almond-ſtones*, *&c.* Alſo *Nuts*, *Haws*, *Aſhen*, *Sycomor* and *Maple* keys; *Acorns*, *Beech-maſt*, *Apple*, *Pear* and *Crab* kernels, for *Stocks*; or you may defer it till the next *Month* towards the latter end, keeping them dry, and free from muſtineſs; remembring to cover the beds with *littier*.

You may yet ſow *Genoa Let-*

Octob. Olit.

* *Especially under glass-bells with a little straw over them, when the hard frosts come; but then touch them not 'till the thaw, lest you crack the glasses.*

tuce, which will last all the **Winter*, *Reddish*, *&c.*

Make Winter *Cider*, and *Perry*.

Towards the latter end, plant *Abricots*, *Cherries*, *Plums*, *Vines*, *Winter-pears*, *&c.*

Fruits in *Prime*, or yet *lasting*.

Apples.

Belle-et-Bonne, *William*, *Costard*, *Lording*, *Parsley*-apples, *Pearmain*, *Pear-apple*, *Honey-meal*, *Apis*, &c.

Pears.

The *Caw-pear* (baking) *Green-butter-pear*, *Thorn-pear*, *Clove-pear*, *Rousſel-pear*, *Lombart-pear*, *Russet-pear*, *Saffron-pear*, and some of the former *Month*, *Violet-pear*, *Petworth-pear*, otherwise call'd the *Winter Windsor*.

Bullis, and divers of the *September Plums* and *Grapes*, *Pines*, *Arbutus*, &c.

OC-

m

OCTOBER

Hath xxxi days, long--10^{h}--47^{m}

Sun riſes 06^{h}--26^{m} Sets 05^{h}--24^{m}

To be done

In the *Parterre*, and *Flower-Garden.*

NOw your *Narciſſus Tuberoſe* not enduring the *wet*, muſt be ſet into the *houſe*, and preſerved very *dry* till *April.*

Continue *ſowing* what you did in *September* if you pleaſe: Likewiſe *Cypreſs* may be ſown, but take heed of the Froſt: *vide* Mar. Alſo,

You may *plant* ſome *Anemonies*, eſpecially the *Tenuifolia's*, and *Ranunculus's*, in freſh, *ſandiſh earth*, taken from under the *turf*, but

Oct. Part. but lay richer *mould* at the *bottom* of the *bed*, which the *fibres* may reach, but not touch the main *roots*, which are to be cover'd with the *natural earth* two inches deep; and ſo ſoon as they appear, ſecure them with *Mats*, or dry *Straw*, from the *winds* and *froſts*, giving them *air* in all benigne *intervals*, if poſſible *once* a day.

Plant alſo *Ranunculus's* of *Tripoly*, *Vernal Crocus's*, &c. Remove ſeedling *Holy-hocs*, or others.

Plant now your choice *Tulips* &c. which you feared to *interr* at the beginning of *September* they will be more ſecure, and forward enough: but plant them in *natural earth* ſomewhat *impoveriſh*ed with very fine *ſand*; elſe they will ſoon loſe their *variegations* ſome more *rich earth* may lie at the *bottom*, within reach of the *fibres* (as above:) Now have a care your *Carnations* catch not too much *wet*; therefore retire them to *co*

ver

vert, where they may be kept from the *rain*, not the *air*, or lay them on the sides; trimming them with *fresh mould*. *Oct. Part.*

All sorts of *Bulbous roots* may now also be safely *buried*; likewise *Iris's*, &c.

You may yet sow *Alaternus*, and *Phillyrea* seeds: It will now be good to *Beat*, *Roll*, and *Mow Carpet-walks*, and *Cammomile*; for now the ground is *supple*, and it will *even* all *inequalities*: Finish your last *Weeding*, *&c.*

Sweep, and cleanse your *Walks*, and all other *places*, from *Autumnal leaves* fallen, lest the *Worms* draw them into their *holes*, and foul your *Gardens*, &c.

Flowers in *Prime*, or yet *lasting*.

Maranthus tricolor, &c. *Aster Atticus*, *Amomum*, *Antirrhinum*,

Oct. Part. *num, Colchicum, Saffron, Cyclamen, Clematis, Heliotrops, Stock-gilly-flo. Geranium triſte, Ind. Tuberoſe Jacynth, Limonium, Lychnis* white and double, *Pomum Amoris* and *Æthiop. Marvel* of *Peru, Milleſol. luteum, Autumnal Narciſſ. Panſies, Aleppo Narciſſ. Sphærical Narciſſ. Naſturt. Perſicum, Gilly-flo. Virgin. Phalangium, Piloſella, Violets, Veronica, Arbutus, Span. Jaſmine,* and yellow *Ind. Jaſmine,* Monethly *Roſe, Oranges, Myrtils, Balauſt.*

NO-

♐

NOVEMBER

Hath xxx days, long--08^{h}--52^{in}

Sun riſes 7^{h}--34^{m} Sets 4^{h}--26^{m}

To be done

In the *Orchard*, and *Olitory-Garden.*

CArry *Compoſt* out of your *Melon-ground*, or turn, and *mingle* it with the *earth*, and lay it in *Ridges* ready for the *Spring*: Alſo *trench*, and fit ground for *Artichocks*, *&c.*

Continue your *Setting*, and *Tranſplanting* of *Trees*; loſe no time, hard *Froſts* come on apace: Yet you may lay *bare* old *roots*.

Plant young Trees, *Standards*, or *Mural.*

Furniſh

Nov. Oct. Furniſh your *Nurſery* with *Stocks* to *graff* on the following year.

Sow, and *ſet* early *Beans*, and *peaſe* till *Shrove-tide*; and now lay up in your *Cellars* for *ſpending*, and for *Seed*, to be *tranſplanted* at *Spring*, *Carrots*, *Parſneps*, *Turneps*, *Cabbages*, *Caully-flowers*, *&c.*

Cut off the *tops* of *Aſparagus*, and *cover* it with *long dung*, or make *Beds* to *plant* in *Spring*, *&c.*

Now, in a *dry* day, gather your laſt *Orchard-fruits*.

Take up your *Potatos* for *Winter* ſpending, there will enough remain for *ſtock*, though never ſo exactly gather'd.

Fruits in *Prime*, or yet *laſting*.

Apples.

THe *Belle-bonne*, the *William*, Summer *Pearmain*, *Lording-apple*,

pple, *Pear-apple*, *Cardinal*, Win- Nov. Oct.
er *Cheſſ-nut*, *Short-ſtart*, *&c.* and
ſome other of the former *two* laſt
Moneths, *&c.*

Pears.

Meſſire Jean, *Lord-pear*, long
ergamot, *Warden* (to bake) *Burnt-*
t, *Sugar-pear*, *Lady-pear*, *Ice-*
ar, *Dove-pear*, *Deadmans-pear*,
Winter Bergamot, *Bell-pear*, *&c.*
Arbutus, *Bullis*, *Medlars*, *Ser-*
ices.

NO-

4

NOVEMBER

Hath xxx days, long—08h—52m

Sun rises 07h—34m Sets 04h—26m

To be done

In the *Parterre*, and *Flower-Garden.*

SOw *Auricula* seeds thus; pre-pare very *rich earth*, more than half dung, upon that *sift* some very light *sandy mould*, and the *earth* gotten out of old hol-low *Willow-trees*; and then *sow* set your *Cases* or *Pans* in the *Sun* till *March*, or *April.*

Cover your peeping *Ranuncu-lus's*, *&c.* And see the Advice in *March*, for *Ever-green Seedlings* especially, if long *Snows*, and bitter *winds* be feared. Now

Now is your beſt *ſeaſon* (the weather *open*) to *plant* your faireſt *Tulips* in places of *ſhelter*, and under *Eſpaliers*; but let not your *earth* be too *rich*; *vide October*. *Tranſplant* ordinary *Jaſmine*, *&c.* Nov. Part.

About the *middle* of this *Moneth* (or ſooner, if *weather* require) quite *encloſe* your *tender* Plants, and *perennial Greens*, *Shrubs*, *&c.* in your *Conſervatory*, ſecluding all entrance of *cold*, and eſpecially ſharp *winds*; and if the *Plants* become exceeding *dry*, and that it do not actually *freeze*, refreſh them *ſparingly* with *qualified water*, (i.) mingled with a little *Sheeps*, or *Cow-dung*: If the *ſeaſon* prove exceeding piercing (which you may know by the *freezing* of a *diſh* of *water*, or moiſtned *cloth*, ſet for that purpoſe in your *Green-houſe*) kindle ſome *Charcoals*, and when they have done ſmoaking, put them in a *hole* ſunk a little into the *floor* about the middle of it: This is

Nov. Part. the ſafeſt *Stove*: At all other times, when the *air* is warm'd by the *beams* of a fine *day*, and that the *Sun* darts full upon the *houſe*, without the leaſt *wind* ſtirring, ſhew them the light; but encloſe them again before the *Sun* be gone off: Note, That you muſt never give your *Aloes*, or *Sedums* one drop of *water* during the whole *Winter:* And indeed, you can hardly be too ſparing of *Water* to your *hous'd plants*; the not obſerving of *this*, deſtroys more *Plants* than all the rudeneſſes of the *Seaſon*: To know when they want refreſhing, conſider the *leaves*; if they *ſhrivel* and *fold up*, give them *drink*; if *pale*, and *whitiſh*, they have already too much; and the defect is at the *roots*, which are in peril of rotting. If your *Aloes* grow manifeſtly too dry, expoſe it a while to the air, when clear, 'twill immediately recover them; but give them not a drop of

of *water* how dry ſoever their Pots be. *Nov. Part.*

Houſe your choiceſt *Carnations*, or rather ſet them under a *Pent-houſe* againſt a South-wall, ſo as a *Covering* being thrown over them to preſerve them in extremity of *weather*, they may yet enjoy the freer *air* at all other times.

Prepare alſo *Mattraſſes*, *Boxes*, *Caſes*, *Pots*, *&c.* for *ſhelter* to your tender *Plants* and *Seedlings* newly ſown, if the *weather* prove very bitter.

Plant *Roſes*, *Althæa frutex*, *Lilac*, *Syringas*, *Cytiſus*, *Peonies*, *&c.*

Plant alſo *Fibrous roots*, ſpecified in the precedent *Moneth.*

Sow alſo *ſtony-ſeeds* mentioned in *October.*

Plant all *Foreſt-trees* for *Walks*, *Avenues*, and *Groves.*

Sweep, and cleanſe your *Garden-walks*, and all other places, from *Autumnal* leaves, the laſt time.

Flowers in *Prime*, or yet *lasting*.

Anemonies, *Meadow Saffron*, *Antirrhinum*, *Stock-gilly-flo. Bellis*, *Clematis*, *Pansies*, some *Carnations*, double *Violets*, *Veronica*, *Spanish* and *Indian Jasmine*, *Myrtils*, *Musk Rose*, &c.

D E-

♑

DECEMBER

Hath xxxi days, long--07^{h}--40^{m}

Sun riſes 08^{h}--10^{m} Sets 03^{h}--50^{m}

To be done

In the *Orchard*, and *Olitory-Garden.*

PRune, and Nail *Wall-fruit*, (which yet you may defer a *Moneth* or two longer) and *Standard-Trees.*

You may now plant *Vines*, &c.

Alſo *Stocks* for *Graffing*, &c.

Sow, as yet, *Pomace* of *Cider-preſſings* to raiſe *Nurſeries*; and ſet all ſorts of *Kernels*, *Stones*, &c.

Sow for early *Beans* and *Peaſe*, but take heed of the *Froſts*; therefore *ſureſt* to defer it till

Dec. Olit. after *Chriſtmas*, unleſs the *Winter* promiſe very *moderate*.

All this *Moneth* you may continue to *Trench* Ground, and *dung* it, to be ready for *Bordures*, or the planting of *Fruit-trees*, *&c.*

Either late in this *Month*, or in *January*, prune, and cut off all your *Vine-ſhoots* to the very *root*, ſave *one*, or *two* of the ſtouteſt, to be left with three, or four *eyes* of *young wood*: This, for the *Vine-yard*.

Now *feed* your *weak Stocks*.

Turn, and *refreſh* your *Autumnal Fruit*, leſt it *taint*, and open the *Windows* where it lies, in a clear and *Serene* day.

Fruits in *Prime*, and yet *laſting*.

Apples.

ROuſſeting, *Leather-coat*, Winter *Reed*, *Cheſs-nut* Apple, *Great-*

Great-belly, the *Go-no-ſurther*, or *Cats-head*, with ſome of the precedent *Moneth*. Dec. Olit.

Pears.

The *Squib-pear*, *Spindle-pear*, *Doyoniere*, *Virgin*, *Gaſcogne-Bergomot*, *Scarlet-pear*, *Stopple-pear*, White, red, and *French Wardens*, (to bake or roſt) *&c.* the Deadmans *pear*, excellent, *&c.*

♑

DECEMBER

Hath xxxi days, long--07^{h}--40^{m}

Sun riſes 08^{h}--10^{m} Sets 03^{h}--50^{m}

To be done

In the *Parterre*, and *Flower-Garden.*

AS in *January*, continue your *hoſtility* againſt *Vermine.*

Preſerve from too much *Rain* and *Froſt*, your choiceſt *Anemonies*, *Ranunculus's*, *Carnations*, *&c.*

Be careful now to keep the *Doors*, and *Windows* of your *Conſervatories* well *matted*, and guarded from the piercing *Air*: for your *Oranges*, *&c.* are now put to the *teſt*: Temper the *cold* with a few *Charcoal* govern'd as di-

as directed in *November*; but never accuſtom your *Plants* to it, unleſs the *utmoſt* ſeverity of the *Seaſon* require; therefore, if the *place* be exquiſitely *cloſe*, they will even *then* hardly require it, *&c.* *Dec. Part.*

Set *Bay-berries*, *&c.* dropping ripe.

Look to your *Fountain-Pipes*, and cover them with freſh, and *warm Littier* out of the *Stable*, a good *thickneſs*, leſt the *froſts* crack them; remember it in *time*, and the *Advice* will ſave you both trouble and charge.

Flowers in *Prime*, and yet *laſting*.

Anemonies ſome, *Perſian*, and *Common* winter *Cyclamen*, *Antirrhinum*, *Black Hellebor*, *Laurus tinus*, ſingle *Primroſes*, *Stock-gilly-flo*. *Iris Cluſii*, *Snow flowers* or *drops*, *Yucca*, *&c.*

For

FOr by ſuch a *Kalendar* it is that a *Royal Garden*, or *Plantation* may be contriv'd, according to my Lord *Verulam*'s deſign, *pro ſingulis Anni Menſibus*, for every *Moneth* of the *Year*.

But, becauſe it is in this *cold Seaſon*, that our *Gard'ner* is chiefly diligent about preſerving his more *tender*, *rare*, *exotic*, and *coſtly Shrubs*, *Plants*, and *Flowers*; We have thought fit to add the *Catalogue*, as it is (much after this ſort) *collected* to our hands, by the *Learned* and Induſtrious Doctor *Sharrock* (though with ſome *reformation* and *improvement*) of all *ſuch*, as according to their different *Natures*, do require *more*, or *leſs* indulgence: And theſe we have diſtributed likewiſe, into the *three* following *Claſſes*.

I.

I. CLASSE.

Being leaſt *patient* of *Cold*, and therefore to be *firſt* ſet into the *Conſervatory*, or other ways defended.

Acacia Ægyptiaca, Aloe American. Amaranthus tricolor, Aſpalathus Cret. Balſamum, Helichryſon, Chamelæa tricoccos, Naſturtium Indicum, Indian Narciſſus, Ornithogalon Arab. Ind. Phaſeol. Capſicum Ind. Pomum Æthiop. Aureum, Spinoſum, Summer *Sweet Majoran,* the two *Marums Syriac.* &c. *Dactyls, Piſtacio's,* the great *Indian Fig, Lylac flo. Alb. Lavendula Multif. Cluſ. Ciſtus Raguſæus flo. alb. Colutea Odorata Cretica, Narciſſus Tuberoſus, Styrax Arbor,* &c.

II.

II. CLASSE.

Enduring the ſecond degree of *Cold*, and accordingly to be *ſecur'd* in the *Conſervatory.*

Momum Plinii, Carob, Chamelæa Alpeſtris; Ciſtus Ledon Cluſ. Citron, Vernal Cyclamen, Summer *Purple Cyclamen, Digitalis Hiſpan. Geranium triſte, Hedyſarum Clypeatum, Aſpalathus Creticus, Span. Jaſmine, Virgin. Jaſmine, Suza Iris, Jacobæa Marina, Alexandrian Laurel, Oleanders, Limonium elegans, Myrtils, Oranges, Lentiſcus, Levantine tufted Narciſſus, Gill. flo.* and choiceſt *Carnations, Phalangium Creticum, Aſiatic* double and ſingle *Ranunculus's, Narciſſus* of *Japan, Cytiſus rubra, Canna Indica, Thymus Capitatus, Verbena nodi flo. Cretica, &c.*

III.

III. CLASSE.

Which not *periſhing* but in exceſſive *Colds*, are therefore to be *laſt* ſet in; or rather *protected* under *Mattraſſes*, and ſlighter *Coverings*, abroad in the *Earth*, *Caſes*, *Boxes*, or *Pots*, &c.

Arbotonum maſ. fœm. Winter *Aconite*, *Adiantum Verum*, *Bellis Hiſpan. Calceolus Mariæ*, *Capparis*, *Cineraria*, *Cneorum Matthioli*, *Cytiſus Maranthæ*, *rub. Lunatus*, *Eryngium planum totum Cæruleum*, *Fritillaria mont. Geniſta Hiſpan. flo. alb. Pomegranads*, *Oriental Jacynth*, *Bulbous Iris*, *Laurels*, *Cherry Laurel*, *Lychnis* double white, *Matricaria* double flo. *Olives*, *Pancration*, *Papaver ſpinociſſ. Marcoc*, *Roſemary*, *Siſynrichium*, *Tur-*

Turpentine-tree, *Teuchrium mas Tithymal.* *Myrtifol.* *Vetonica* doub. flo. ſingle *Violets*, *Lavender*, *Serpentaria trifol.* *&c.* *Ornithogalon Arab.* white and doub. *Narciſſus* of *Conſtantinople*, late *Pine-apples*, *Moly*, *Perſian Jaſmine*, *Opuntia*, or the ſmaller *Indian Fig*, *Jucca*, *Seſeli Æthiop.* *Agnus Caſtus*, *Malva Arboreſcens*, *Ciſtus maſ.* *Althæa Frutex*, *Sarſaparilla*, *Cupreſſus*, *Crithmum marinum*, &c.

And to *theſe* might ſome others be *added*; but we conceive them *ſufficient*, and more than (we fear) ſome *envious*, and *mercenary Gard'ners* will *thank* us for; but they deſerve not the *name* of that *Communicative*, and noble *Profeſſion*: However, *this*, as a *Specimen* of our *Affection* to the *Publick*; and in *Commiſeration* of divers *honourable*, and Induſtrious *Perſons*, whoſe *Inclination* to this *innocent Toil*, has made them ſpare no

no *Treaſure*, or *Pains* for the *furniture* of their *Parterres* with *variety*; the *miſcarriage* whereof being ſometimes *univerſal* to the *Curious*, has made us the more *freely* to *impart* both what we have *experimentally* learn'd by our own *Obſervations*, and from *others* of undoubted *Candor* and *Ingenuity*: But of *this*, we promiſe a more ample *Illuſtration*, as it concerns the entire *Art*, together with all its *Ornaments* of *Uſe*, and *Magnificence*, as theſe *endeavours* of ours ſhall find *entertainment*, and *opportunity* contribute to the *Deſign*.

FINIS.

---

6 FE60

THE

TABLE.

IT might ſeem impertinent to have added a *Table* to a *Book* of ſo ſmall a *Volume*, and which ſeems to be it ſelf but a *Table*; But, ſince it may prove advantagious for the ſaving of *time*, at *once* to learn the whole *Culture* of any *Plant*, as the *particulars* are ſprinkled through the ſeveral *Pages*; the *Author* has thought it fit to *collect*, and annex it to the foot of his *Kalendar*.

A

Ablaqueation. Pag. 19. 102
Abricots. 62. 70. 104

A

Acacia. 99
Æthiopic-Apples. 39
African flower. 39

The Table.

Age. 102
Alaternus. 30.37.48 86.96.107
Aleſanders. 34
Aloes. 42.98.114
Althæa. 115
Amaranthus. 39.40 58.77
Amomum Plinii. 42 75.98
Angelica. 81
Anemonies. 23. 24. 38.41.50.59. 66. 76.77. 86.87.95. 99.105.120.
Ani-ſeeds. 27.92
Antirrhinum. 58
Annuals. 47.96
Apples. 62.91
April. 45.47
Arbutus. 88.99
Artichocks. 49.92 109
Aſparagus. 28.35. 39 92. 110
Auricula. 24.38.40. 41.48.50.65.87. 95. 112.
Auguſt. 80.85
Aviarie. 31.67
Autumnals. 97

B.

Balſumina. 39.87
Barba-Jovis. 51.98
Baſil. 35.45.54
Bayes. 37.41. 121
Beans. 27. 45. 54. 110.117
Bees. 21.28. 35.46. 55. 63. 71. 82. 92. 118.
Beets. 34.81
Birds. 31.43.
Blanching. 39
Box. 37.75

Budding,

Budding, vide *Inoculating*.
Buds. 81.91
Bugloſs. 34
Bulbs. 77.86.96.107

C

Cabbages. 27.35.54. 71. 81. 91. 92. 110.
Camomile. 38.96
Candy-Tufts. 47.96
Canna Ind. 39.77
Cankers. 27
Capillaries. 96
Capſicum. 39.77
Carnations. 24. 30. 37.40. 48. 58.66. 74.86. 106. 115.
Carpet. vide *Walks*.
Carrob. 39
Carrots. 27. 35. 81. 110
Caſes. 98.115
Caterpillars. 28
Cats. 99
Cauly-flower. 21. 28. 81.91.92.110.
Chamæ-Iris. 41
Chamælæa. 98
Cherries. 20.62.104
Chervile. 21. 34.62. 81
Ciſtus. 98.99
Clipping. 51.75.81
Cloves, vide *Carnations*.
Colchicum. 77. 86. 96
Columbines. 47.85.
Compoſt, vide *Stercoration*, *Dung*. 109.
Conſervatory, vide *Green-houſe*. 42. 50. 56. 98. 113.

120. 123. 124. 125.
Convolvulus. 38
Corn-ſallet. 27.81
Creſſus. 35
Crocus. 76. 86. 97. 106
Crown-Imperial. 67. 76. 96
Cucumbers. 32.46
Cyanus. 47
Cyons. 20
Cypreſs. 41.105
Cyclamen. 41.51.65. 67.76.77.87.96
Cyder. 82. 92. 104. 117
Cytiſus. 67.98.115

D

Dactyls. 39.42
Daffodils. v. *Narciſſus*
Dates. v. *Dactyls.* 98
Datura. 39
December. 117 120
Dens-Caninus. 67 77
Delphinium. 30.47. 85.96
Digging, v. *Trenching.* 19
Digitalis, vide *Foxglove.* 47.85 96
Diſtilling, v. *Laboratory.*
Drones. 71
Dung, vide *Compoſt Stercoration*
Dwarfs. 103

E.

E.

Earthing-up. 92
Endive. 34.81
Exotics. 39.47

F.

February. 26.30
Fennel. 35
Fibrous Plants. 48. 96.115
Firr. 37.38.41.48. 97
Flos Cardinalis. 50. 99
Foggs. 98
Foreſt-trees. 115
Fountain-pipes. 121
Fox-Gloves, vide *Digitalis.*
Fraxinella. 87
Fritillaria. 67. 76 86.87
Froſt. 23.24.40.41. 42.113.117.120
Fruit and *Fruit-trees.* 19. 26. 35. 91. 102. 118. vide *Gathering.*

G.

Garlick. 27.81
Garnſy-Lilly. 49
Gathering. 91.103. 110
Gentianella. 38
Geranium. 39.99
Gilly-flowers, v. *Carnations.*
Gladiolus. 77

Gourds. 32
Granads, vide *Pome-Granads.*
Graffing 20. 27. 29.
Graffs. 33. 50. 76. 103
Green-houſe, vide *Conſervatory.*
Greens. 37. 41. 43. 48 75. 88. 97. 113.
Gravel-walks. 78
Groves. 115

H.

Hedyſarum. 39
Helleborus. 38. 48. 96
Hepatica. 38. 48. 87. 96
Herbs-dry. 63
Hives, vid. *Bees.* 21
Holy-hoc. 47. 85. 106
Hops. 27
Hot-bed. 24. 28. 32. 39. 47
Houſing. 113. 115
Humble-plant. 39
Hyacinth, vide *Jacynth.* 86
Hyſſop. 45

I.

Jacynth, vide *Hyacinthus.* 41. 65. 67. 86.
January. 19. 23
Jaſmine. 38. 50. 51. 66. 88. 98. 113
Inoculating v. *Budding.* 43. 62. 66. 71. 76. 80. 81. 85. 91.
Inſects. 63. 71. 92
July. 70. 74
June. 62. 65

Iris. 65. 67. 76. 85. 87. 96. 107.

K.

Keiri. 38
Kernels. 23. 27. 33. 103. 117
Kitchin-Garden. 102
Knots. vide *Parterres* 75

L.

Laboratory. vide *Distilling.* 55. 63
Larks-spur, v. *Delphinium.* 30
Lavander. 34. 45
Laurel. 75
Layers. } 27. 40. 70
Laying. } 75. 88. 97
Leaves. 107. 115
Leeks. 34
Lemmons. 42. 43. 50. 88. 98
Lentiscus. 39. 42
Lettuce. 21. 34. 54. 62. 70. 81. 91. 103.
Leucoium. vide *Keri* 38. 42. 48. 74
Lilie. 86
Lilac. 115
Lupines. 38. 48
Lychnis. 96

M.

Majoran. 35. 45. 54
March. 32. 37
Marcoc. 39. 99

Marum Syriacum. 50. 99
Martagon. 67. 86. 87. 96
Mary-gold. 27. 47. 81
Matricaria. 38. 48. 96
May. 54. 56
Medica. 47
Medicinal-plants. 35 92
Melons. 28. 32. 33. 46. 54. 109
Mirabile Peru. 39 77
Moſs. 20. 27. 99
Mowing. 51
Murals. vide *Walls.*
Muſcaris. 67
Muſcipula. 47
Myrrhe. 39
Myrtil. 39. 42. 51. 67 75. 88. 98

N.

Nailing, v. *Pruning.* 20. 26. 117
Narciſſus, v. *Tuberoſe,* 49. 65. 66. 86. 96.
Naſturtium. 39. 77
Nectarine. 26. 33. 72
Nigella. 96
Nights. 43
November. 109. 112
Nurſery. 21. 23. 110. 117

O.

October. 102. 105.
Oleander. 42. 51 88. 98

Onions,

Onions. 27.34 81.91
Oranges. 42. 43. 50. 51. 56. 75. 76. 85. 88. 98. 120.
Orchard. 102

P.

Paliſads. 27
Parſly. 28.34.
Parterres, v. *Knots.*
Parſneps. 27. 34. 81. 91. 110
Paſſion-Flower, vide *Marcoc.*
Peach. 33. 62. 70
Pear. 20. 33. 62. 91. 104
Peaſe. 34. 70. 110. 117
Pene-royal. 45
Peonies. 115
Perennial, v. *Greens.*
Perry. 82. 104
Phaſeoli. 39
Phillyrea. 37. 41. 48. 88. 96. 107
Pinus. 37. 38. 41 48. 97
Pinks. 37. 48
Pipes, v. *Fountains.*
Planting. 32. 102
Plaſhing. 26. 103.
Plums. 20. 62. 91. 104
Pomace, v. *Cider*, 117
Pomum-Amoris. 39
Pome-Granad. 50 51. 75. 88
Poppy. 96
Potatos. 27. 110
Pot-herbs. 28
Pots. 24. 40. 97. 98
Prim-roſe. 38. 48 87. 88. 96

Pruning.

Pruning. 20. 26. 38. 51. 70. 89. 97. 103. 117. 118.
Purſlain. 34. 45. 54. 81

Q.

Quick-ſets. 19. 27

R.

Rain. 23. 76. 95. 107. 120
Ranunculus. 23. 24. 38. 50. 58. 65. 66. 76. 77. 87. 99. 105. 106. 112. 120.
Reddiſh. 21. 27. 34. 62. 70. 91. 104
Removing, v. *Tranſplanting.* 88
Roſe-Mary. 34. 45
Roſes. 34. 66. 81. 88. 103
Roots. 27

S.

Saffron, v. *Crocus*, 86
Sage. 34. 45
Salleting. 21
Savoury. 45
Scabious. 47. 66
Scorpoides. 47
Scorzonera. 34
Scurvy-graſs. 81. 91
Sellery. 34
Seeds. 19. 81. 86. 87.
Seedlings. 103. 110. 115

Sedum. 98 114
Sensitive-Plant. 39
September. 91 95
Shade. 40
Shelter. 115
Shrubs. 102
Skirrets. 34 91
Slips. 74 86
Smaledge. 34
Snailes. 46 72
Snow. 23.24 41. 112
Soil. 19
Sorel. 34
Sowing. 95.96 105
Spinach. 28.81 91
Stalks. 59
Standards. 102 109.117
Stercoration, vide *Compost.* 32 118
Stock-gilly-flowers, v. *Leucoium.*
Stocks. 20. 43.80 103.110.117
Stones. 23.115 117
Stove. 113.114 120.121
Straw-berries. 35 92
Suckers. 81
Sun. 42 81
Swarms, v. *Bees.* 55
Sweeping. 115
Sweet-Williams. 37
Syringa. 115

T.

T.

Tabacco. 35
Thyme. 34. 45. 54
Tooles. 21
Tuberoſe, v. *Narciſſus* 38. 48. 96. 105.
Tulips. 40. 50. 59 66. 76. 77. 87. 96. 106. 113.
Turneps. 34. 45. 81. 110
Tranſplanting. 20. 40 41. 48. 50. 56. 92 109. vid. *Removing.*
Trenching, v. *Digging.* 19. 102. 109. 118.

V.

Variegation. 106
Vermine. 23. 120
Vines. 20. 26. 27 62. 81. 104. 117
Vine-yard 118. 71.
Violets. 48. 96
Volubilis. 39

W.

Walks. 78. 107 115
Walls. 20. 26. 81 102. 109. 117
Water. 57. 58. 63. 70. 75. 87. 113. 114.

The Table.

Weeding. 51. 55. 78 74. 91. 97. 98. 107 112.
Wither'd Flowers. 78
Winds. 37. 41. 42
Worms. 28. 46. 107.

FINIS.

There is now finiſh'd and publiſh'd a *Second Edition* of Mr. *Evelyn*'s *Sylva*, enlarged to near a full *half* as much more as was formerly Printed, with divers *Figures* cut in *Braſs*, and moſt conſiderable *Additions*.

6 FE60

06-100

16-

Peter Courthope
His Booke.
1679